

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

DESCRIZIONE DEI PRODOTTI OGGETTO DEL CERTIFICATO / DESCRIPTION OF PRODUCTS TO WHICH THE CERTIFICATE REFERS
SEGNALI VERTICALI PERMANENTI COSTITUITI DAI SEGUENTI COMPONENTI / FIXED VERTICAL SIGNS COMPOSED BY THE FOLLOWING COMPONENTS:

COMPONENTE "PANNELLO" / "SIGN PLATE" COMPONENT

SEGNALETICA STANDARD (DPR 495/92, art. 80, comma 1) / STANDARD SIGNS (DPR 495/92, art. 80, par.1)

SEGNALETICA NON STANDARD (DPR 495/92, art. 80, comma 7) / NO STANDARD SIGNS (DPR 495/92, art. 80, par.7)

Certificato RINA Services S.p.A. n. 0474-CPR-0637 rev. 8 del 21/09/2017 / Certificate RINA Services S.p.A. n. 0474-CPR-0637 rev. 8 of 21/09/2017

(Relazioni tecniche e di calcolo relative alla segnaletica standard, Ing. Ivan Rinaldini del 20.02.2014, Relazioni tecniche e di calcolo relative alla segnaletica non standard, Ing. Ivan Rinaldini del 20.02.2014;
Relazioni tecniche e di calcolo relative alla segnaletica standard, Ing. Ivan Rinaldini e Ing. Alberto Favali del 10.03.2015, Relazioni tecniche e di calcolo relative alla segnaletica non standard, Ing. Ivan Rinaldini e Ing. Alberto Favali del 10.03.2015; Integrazione alle relazioni tecniche ed illustrative relative alla segnaletica stradale standard e non standard, Ing. Ivan Rinaldini e Ing. Alberto Favali del 05.04.2017)

Tipologia / Topology	Dimensioni (cm) / Dimensions (cm)	Codice / Code	Materiale / Material	Spessore (mm) ^{a)} / Thickness (mm)	Sistema aggancio / Fixing system				Carichi distribuiti ^{b)} / Distributed loads		Carichi concentrati ^{b)} / Point loads		Deformazione temporanea flettente / Temporary deflection bending	Deformazione permanente / Permanent deflection	Fissaggi / Fixings	Resistenza alla corrosione / Resistance to corrosion
					N. attacchi / No. clamps	N. rinforzi corsolo normale / No. normal slider reinforcements	N. rinforzi corsolo per traverse / No. rod slider reinforcements	Interasse max di calcolo attacchi / Maximum distance calculation clamps	Numero Pali/interasse / No. of supports/center distance	Azione del vento / Wind action	Carico dinamico da rimozione di neve / Dynamic snow load	Carico concentrato orizzontale / Horizontal point load				
Triangolo / Triangle	60	27T602A	Ferro / Steel (DC01)	1	2		33	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	60	27T602R	Ferro / Steel (DC01)	1		2	44	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	90	27T902A	Ferro / Steel (DC01)	1	2		44	1/0	WL4	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	90	27T902R	Ferro / Steel (DC01)	1		2	44	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	120	27T1203A	Ferro / Steel (DC01)	1	3		29	1/0	WL1	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	120	27T1203R	Ferro / Steel (DC01)	1		3	29	1/0	WL9	DSL2	PL1	PL5	TDB1	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	120	27T1202R	Ferro / Steel (DC01)	1		2	58	1/0	WL2	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	40	27D402A	Ferro / Steel (DC01)	1	2		27	1/0	WL9	DSL2	PL1	PL3	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	27D601AB	Ferro / Steel (DC01)	1	1+bussola 1+bush		-	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Disco / Circle	60	27D602A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	27D608A	Ferro / Steel (DC01)	1	8			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	27D602R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	27D901RB	Ferro / Steel (DC01)	1		1+bussola 1+bush		-	1/0	WL1	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	27D903A	Ferro / Steel (DC01)	1	3			29	1/0	WL1	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	27D903R	Ferro / Steel (DC01)	1		3		35	1/0	WL9	DSL2	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	27D902R	Ferro / Steel (DC01)	1		2		48	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	60	27O602A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	60	27O602R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	90	27O903R	Ferro / Steel (DC01)	1		3		35	1/0	WL9	DSL2	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	120	27O1203R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	130x30	27F130302R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	130x30	27F130303R	Ferro / Steel (DC01)	1		3		-	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x40	27F150402R	Ferro / Steel (DC01)	1		2		27	2/65	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x40	27F150403R	Ferro / Steel (DC01)	1		3		37	2/65	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	170x50	27F170503R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	200x50	27F200503R	Ferro / Steel (DC01)	1		3		37	2/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	250x70	27F250703R	Ferro / Steel (DC01)	1		3		37	3/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	300x70	27F300703R	Ferro / Steel (DC01)	1		3		37	3/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	350x70	27F350703R	Ferro / Steel (DC01)	1		3		37	4/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia in 2 pezzi / Arrow in 2 pieces	400x70	27F400703R	Ferro / Steel (DC01)	1		3		37	4/90	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	300x100	27F3001003R	Ferro / Steel (DC01)	1		3		37	3/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	350x100	27F3501003R	Ferro / Steel (DC01)	1		3		37	4/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia in 2 pezzi / Arrow in 2 pieces	400x100	27F4001003R	Ferro / Steel (DC01)	1		3		37	4/90	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x10	27R25101A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x10	27R25101R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x15	27R35151A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x15	27R35151R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	33x17	27R33171A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	33x17	27R33171R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x18	27R53181A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x18	27R53181R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x20	27Q201A	Ferro / Steel (DC01)	1	1			-	1/0	WL9	DSL2	PL1	PL1	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x20	27R30201A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x20	27R30201R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x20	27R40201A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x20	27R40201R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x20	27R60202A	Ferro / Steel (DC01)	1	2			18	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x20	27R60201R	Ferro / Steel (DC01)	1		1		-	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	80x20	27R80204A	Ferro / Steel (DC01)	1	2+2			16	1/0	WL4	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x20	27R100204A 28R100204A	Ferro / Steel (DC01)	1	2+2			-	2/80	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x20	27R100204A 28R100204A	Ferro / Steel (DC01)	1	2+2			18	1/0	WL3	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x20	27R100201R 28R100201R	Ferro / Steel (DC01)	1		1		-	2/80	WL9	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	10x25	27R10251A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	10x25	27R10252A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x25	27Q252A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x25	27R50252A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x25	27R50252R	Ferro / Steel (DC01)	1		2		17	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	55x25	27R55254A	Ferro / Steel (DC01)	1	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x25	27R80252A	Ferro / Steel (DC01)	1	2			18	1/0	WL4	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x25	27R80252R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x25	27R100254A 28R100254A	Ferro / Steel (DC01)	1	2+2			-	2/80	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x25	27R100254A 28R100254A	Ferro / Steel (DC01)	1	2+2			18	1/0	WL3	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x25	27R100252R 28R100252R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x25	27R125254A 28R125254A	Ferro / Steel (DC01)	1	2+2			-	2/80	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	125x25	27R125254A 28R125254A	Ferro / Steel (DC01)	1	2+2			18	1/0	WL3	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x25	27R125252R 28R125252R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x25	27R150252R	Ferro / Steel (DC01)	1		2		44	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x25	27R180252R	Ferro / Steel (DC01)	1		2		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x25	27R200252R	Ferro / Steel (DC01)	1		2		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x27	27R80272A	Ferro / Steel (DC01)	1	2			16	1/0	WL4	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x27	27R80272R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x30	27R20301A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x30	27R20302A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x30	27R40302A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	40x30	27R40304A	Ferro / Steel (DC01)	1	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x30	27R40302R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x30	27R50302A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	50x30	27R50304A	Ferro / Steel (DC01)	1	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x30	27R50302R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x30	27R60302A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x30	27R60302R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x30	27R90301R	Ferro / Steel (DC01)	1		1		-	2/60	WL9	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x30	27R90302R	Ferro / Steel (DC01)	1		2		44	2/60	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x30	27R100302R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x30	27R120302R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x30	27R130302R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	140x30	27R140302R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x30	27R150302R 28R150302R	Ferro / Steel (DC01)	1		2		44	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	170x30	27R170302R	Ferro / Steel (DC01)	1		2		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x30	27R180302R	Ferro / Steel (DC01)	1		2		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x30	27R200302R	Ferro / Steel (DC01)	1		2		44	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	75x33	27R75332R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	15x35	27R15351A	Ferro / Steel (DC01)	1	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	15x35	27R15351A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x35	27R105352R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x35	27R125352R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	40	27M402A	Ferro / Steel (DC01)	1	2			33	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	40	27M403R	Ferro / Steel (DC01)	1		3		44	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x40	27Q402A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x40	27Q402R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	50x40	27R50404A	Ferro / Steel (DC01)	1	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x40	27R50402R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x40	27R60402A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x40	27R60402R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x40	27R100402R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x40	27R120402R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x40	27R130402R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x40	27R135402R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x40	27R150402R	Ferro / Steel (DC01)	1		2		44	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x40	27R180402R	Ferro / Steel (DC01)	1		2		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x40	27R200402R	Ferro / Steel (DC01)	1		2		44	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x40	27R250402R	Ferro / Steel (DC01)	1		2		44	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x40	27R300402R	Ferro / Steel (DC01)	1		2		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x45	27R25452A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x45	27R135452R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x50	27R25502A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x50	27Q502A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x50	27Q502R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	70x50	27R70502A2R	Ferro / Steel (DC01)	1	2	2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x50	27R100502R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x50	27R120502R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	125x50	27R125502R 28R125502R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x50	27R130502R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x50	27R150502R	Ferro / Steel (DC01)	1		2		44	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x50	27R180502R	Ferro / Steel (DC01)	1		2		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x50	27R200502R	Ferro / Steel (DC01)	1		2		44	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x50	27R250502R	Ferro / Steel (DC01)	1		2		45	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x50	27R300502R	Ferro / Steel (DC01)	1		2		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x53	27Q532A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x53	27Q532R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	40x60	27R40604A	Ferro / Steel (DC01)	1	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x60	27R40602A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x60	27R40602R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	45x60	27R45602A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	45x60	27R45602R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	60	27M603R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x60	27Q602A 28Q602A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x60	27Q602R 28Q602R	Ferro / Steel (DC01)	1		2		44	1/0	WL9	DSL2	PL1	PL5	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 90) / Double base Rectangle (base 90)	90x60	27R90604A	Ferro / Steel (DC01)	1	2+2			50	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 60) / Double base Rectangle (base 60)	90x60	27R90604A	Ferro / Steel (DC01)	1	2+2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 90) / Double base Rectangle (base 90)	90x60	27R90603A2R	Ferro / Steel (DC01)	1	3	2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 60) / Double base Rectangle (base 60)	90x60	27R90603A2R	Ferro / Steel (DC01)	1	3	2		44	1/0	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	90x60	27R90602R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x60	27R100602R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x60	27R120602R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x60	27R130602R	Ferro / Steel (DC01)	1		2		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x60	27R150602R	Ferro / Steel (DC01)	1		2		44	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x60	27R180602R	Ferro / Steel (DC01)	1		2		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x60	27R200602R	Ferro / Steel (DC01)	1		2		44	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	240x60	27R240602R 28R240602R	Ferro / Steel (DC01)	1		2		44	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x70	27Q702R 28Q702R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x70	27R100702R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x70	27R120702R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x70	27R130702R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x70	27R150702R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	170x70	27R170702R	Ferro / Steel (DC01)	1		2		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x70	27R180702R	Ferro / Steel (DC01)	1		2		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x70	27R200702R	Ferro / Steel (DC01)	1		2		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	235x70	27R235702R	Ferro / Steel (DC01)	1		2		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x70	27R250702R	Ferro / Steel (DC01)	1		2		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x70	27R300702R	Ferro / Steel (DC01)	1		2		50	3/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x75	27R30752A	Ferro / Steel (DC01)	1	2			50	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x75	27R30752R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x75	27R50753A	Ferro / Steel (DC01)	1	3			50	1/0	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x75	27R50752R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x75	27R100752R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x75	27R105752R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x75	27R125752R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x80	27R20802A 28R20802A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	27x80	27R27802A 28R27802A	Ferro / Steel (DC01)	1	2			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	40x80	27R40803A	Ferro / Steel (DC01)	1	3			65	1/0	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x80	27R40803R	Ferro / Steel (DC01)	1		3		44	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x80	27Q802R	Ferro / Steel (DC01)	1		2		48	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x80	27Q803R	Ferro / Steel (DC01)	1		3		35	1/0	WL9	DSL2	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	90	27M903R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x90	27Q902R	Ferro / Steel (DC01)	1		2		54	2/60	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x90	27Q903R 28Q903R	Ferro / Steel (DC01)	1		3		35	2/60	WL9	DSL2	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x90	27R120902R	Ferro / Steel (DC01)	1		2		54	2/80	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x90	27R120903R	Ferro / Steel (DC01)	1		3		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	120x90	27R120904R	Ferro / Steel (DC01)	1		2+2		50/125	2 70/50	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x90	27R135903R	Ferro / Steel (DC01)	1		3		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	135x90	27R135904R	Ferro / Steel (DC01)	1		2+2		50/125	2 80/50	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x90	27R60903A	Ferro / Steel (DC01)	1	3			37	1/0	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x90	27R60902R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x90	27R60903R	Ferro / Steel (DC01)	1		3		44	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x90	27R200903R	Ferro / Steel (DC01)	1		3		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	360x90	27R360903R 28R360903R	Ferro / Steel (DC01)	1		3		45	6/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x100	27R201003A 28R201003A	Ferro / Steel (DC01)	1	3			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x100	27R251003A 28R251003A	Ferro / Steel (DC01)	1	3			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x100	27R301003A 28R301003A	Ferro / Steel (DC01)	1	3			65	1/0	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x100	27R301003R 28R301003R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x100	27R701003R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x100	27Q1003R	Ferro / Steel (DC01)	1		3		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x100	27R1201003R	Ferro / Steel (DC01)	1		3		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x100	27R1251003R	Ferro / Steel (DC01)	1		3		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x100	27R1301003R	Ferro / Steel (DC01)	1		3		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	150x100	27R1501003R	Ferro / Steel (DC01)	1		3		44	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	150x100	27R1501005R	Ferro / Steel (DC01)	1		3+2		55/190	2+2 80/50	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x100	27R1801003R	Ferro / Steel (DC01)	1		3		44	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x100	27R2001003R	Ferro / Steel (DC01)	1		3		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x100	27R2001005R	Ferro / Steel (DC01)	1		3+2		55/190	2 115/60	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x100	27R2501003R	Ferro / Steel (DC01)	1		3		45	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x100	27R3001003R	Ferro / Steel (DC01)	1		3		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x105	27R701053R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x105	27Q1053R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x120	27R501203R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x120	27R601203R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x120	27R901203R	Ferro / Steel (DC01)	1		3		50	2/60	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x120	27Q1203R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x120	27R1501203R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x120	27R1801203R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base	180x120	27R1801205R	Ferro / Steel (DC01)	1		3+2		55/190	2 100/60	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x120	27R2001203R	Ferro / Steel (DC01)	1		3		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base	200x120	27R2001205R	Ferro / Steel (DC01)	1		3+2		55/190	2 115/80	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x120	27R2501203R	Ferro / Steel (DC01)	1		3		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x120	27R3001203R	Ferro / Steel (DC01)	1		3		50	3/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base	300x120	27R3001205R	Ferro / Steel (DC01)	1		3+2		55/290	3/2 115/80	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x125	27Q1253R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x125	27R1501253R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x125	27R1801253R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x125	27R2001253R	Ferro / Steel (DC01)	1		3		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x135	27R351353A	Ferro / Steel (DC01)	1	3			65	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x135	27R351354R	Ferro / Steel (DC01)	1		4		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x135	27R901353R	Ferro / Steel (DC01)	1		3		50	2/60	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	90x135	27R901354R	Ferro / Steel (DC01)	1		4		44	2/60	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x135	27Q1354R	Ferro / Steel (DC01)	1		4		45	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x135	27R1801354R	Ferro / Steel (DC01)	1		4		45	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x135	27R2001354R	Ferro / Steel (DC01)	1		4		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x135	27R2001355R	Ferro / Steel (DC01)	1		3+2		55/190	² / _{115/80}	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x150	27R1001504R	Ferro / Steel (DC01)	1		4		44	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x150	27R1301504R	Ferro / Steel (DC01)	1		4		45	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x150	27Q1504R	Ferro / Steel (DC01)	1		4		45	2/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x150	27R1801504R	Ferro / Steel (DC01)	1		4		45	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x150	27R2001504R	Ferro / Steel (DC01)	1		4		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x150	27R2001505R	Ferro / Steel (DC01)	1		3+2		55/190	² / _{115/80}	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x150	27R2501504R	Ferro / Steel (DC01)	1		4		45	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	250x150	27R2501505R	Ferro / Steel (DC01)	1		3+2		55/240	^{3/2} / _{90/80}	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x150	27R3001504R	Ferro / Steel (DC01)	1		4		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	300x150	27R3001505R	Ferro / Steel (DC01)	1		3+2		55/290	^{3/2} / _{115/80}	WL6	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x160	27R1001604R	Ferro / Steel (DC01)	1		4		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x165	27R901654R	Ferro / Steel (DC01)	1		4		50	2/60	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x170	27R1301704R	Ferro / Steel (DC01)	1		4		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x180	27R901805R	Ferro / Steel (DC01)	1		5		44	2/60	WL9	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x180	27R1001805R	Ferro / Steel (DC01)	1		5		44	2/80	WL9	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x180	27R1201805R	Ferro / Steel (DC01)	1		5		45	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	270x180	27R2701804R	Ferro / Steel (DC01)	1		2+2		50	3/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	270x180	27R2701806R	Ferro / Steel (DC01)	1		3+3		45	4/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x190	27R1301905R	Ferro / Steel (DC01)	1		5		45	2/80	WL9	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x200	27R1002005R	Ferro / Steel (DC01)	1		5		45	2/80	WL9	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x200	27R1352005R	Ferro / Steel (DC01)	1		5		45	2/80	WL9	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	150x200	27R1502005R	Ferro / Steel (DC01)	1		5		45	2/85	WL9	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x200	27Q2006R	Ferro / Steel (DC01)	1		3+3		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	250x200	27R2502006R	Ferro / Steel (DC01)	1		3+3		45	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	270x200	27R2702006R	Ferro / Steel (DC01)	1		3+3		45	4/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x200	27R3002006R	Ferro / Steel (DC01)	1		3+3		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x220	27R802205R	Ferro / Steel (DC01)	1		5		50	2/50	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x220	27R1202205R	Ferro / Steel (DC01)	1		5		50	2/80	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	170x220	27R1702206R	Ferro / Steel (DC01)	1		3+3		45	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x225	27R3002256R	Ferro / Steel (DC01)	1		3+3		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x250	27R902506R	Ferro / Steel (DC01)	1		6		50	2/60	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x250	27R1502506R	Ferro / Steel (DC01)	1		6		50	2/80	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x250	27R2002506R	Ferro / Steel (DC01)	1		3+3		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	250x250	27Q2506R	Ferro / Steel (DC01)	1		3+3		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x250	27R3002506R	Ferro / Steel (DC01)	1		3+3		50	3/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	400x250	27R4002506RT	Ferro / Steel (DC01)	1			6	45	5/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x270	27R1352706R	Ferro / Steel (DC01)	1		6		50	2/80	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x270	27R2002706R	Ferro / Steel (DC01)	1		3+3		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x275	27R3002756R	Ferro / Steel (DC01)	1		3+3		50	3/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x300	27R1203007R	Ferro / Steel (DC01)	1		7		50	2/80	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x300	27R1503007R	Ferro / Steel (DC01)	1		7		50	2/80	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	170x300	27R1703008R	Ferro / Steel (DC01)	1		4+4		45	3/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x300	27R2003008R	Ferro / Steel (DC01)	1		4+4		45	3/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	225x300	27R2253008R	Ferro / Steel (DC01)	1		4+4		45	3/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa in 2 pezzi / Rectangle in 2 pieces	250x300	27R2503008R	Ferro / Steel (DC01)	1		4+4		45	4/65	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	275x300	27R2753008R	Ferro / Steel (DC01)	1		4+4		45	4/75	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x300	27Q3008R	Ferro / Steel (DC01)	1		4+4		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	400x300	27R4003008RT	Ferro / Steel (DC01)	1			8	45	5/85	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	300x350	27R3003509R	Ferro / Steel (DC01)	1		3+3+3		45	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	300x400	27R3004009R	Ferro / Steel (DC01)	1		3+3+3		50	3/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Croci S.Andrea normale con rinforzi / Normal crossbuck with reinforcements	160x85	27CNN4A	Ferro / Steel (DC01)	1	4			-	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Croce S.Andrea doppia con rinforzi / Double crossbuck with reinforcements	160x150	27CDD6A	Ferro / Steel (DC01)	1	6			-	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq	/	Ferro / Steel (DC01)	1		adeguati / appropriate		50		WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq	/	Ferro / Steel (DC01)	1		adeguati / appropriate		50		WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq	/	Ferro / Steel (DC01)	1			adeguati / appropriate	50		WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq	/	Ferro / Steel (DC01)	1			adeguati / appropriate	50		WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq	/	Ferro / Steel (DC01)	1		adeguati / appropriate		45		WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq	/	Ferro / Steel (DC01)	1		adeguati / appropriate		45		WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq	/	Ferro / Steel (DC01)	1			adeguati / appropriate	45		WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq	/	Ferro / Steel (DC01)	1			adeguati / appropriate	45		WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	60	17T602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			33	1/0	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	60	17T602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Triangolo / Triangle	90	17T902A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	90	17T902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	120	17T1203A	Alluminio / Aluminum (AW-3105 H22)	2,5	3		29	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle	120	17T1202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	40	17D402A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	17D601AB	Alluminio / Aluminum (AW-3105 H22)	2,5	1+bussola 1+bush		-	1/0	WL3	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	17D602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	17D608A	Alluminio / Aluminum (AW-3105 H22)	2,5	8		44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	60	17D602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	17D901RB	Alluminio / Aluminum (AW-3105 H22)	2,5		1+bussola 1+bush	-	1/0	WL2	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	17D903A	Alluminio / Aluminum (AW-3105 H22)	2,5	3		29	1/0	WL2	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Disco / Circle	90	17D902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	60	17O602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	60	17O602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	90	17O902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon	120	17O1203R	Alluminio / Aluminum (AW-3105 H22)	2,5		3	50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	130x30	17F130302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	20	2/80	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x40	17F150402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	20	2/80	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	170x50	17F170503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3	40	2/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	200x50	17F200503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3	40	2/100	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	250x70	17F250703R	Alluminio / Aluminum (AW-3105 H22)	2,5		3	40	3/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Freccia / Arrow	300x70	17F300703RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	40	3/100	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	350x70	17F350703RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	40	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia in 2 pezzi / Arrow in 2 pieces	400x70	17F400703RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	40	4/90	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	300x100	17F3001003RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	40	3/100	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	350x100	17F3501003RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	40	4/80	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia in 2 pezzi / Arrow in 2 pieces	400x100	17F4001003RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	40	4/90	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x10	17R25101A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL9	DSL2	PL1	PL2	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x15	17R35151A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL9	DSL2	PL1	PL2	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	33x17	17R33171A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL9	DSL2	PL1	PL2	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x18	17R53181A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x18	17R53181R	Alluminio / Aluminum (AW-3105 H22)	2,5		1		-	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x20	17Q201A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL9	DSL2	PL1	PL1	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x20	17R30201A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL9	DSL2	PL1	PL1	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x20	17R40201A	Alluminio / Aluminum (AW-3105 H22)	2,5	1			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x20	17R40201R	Alluminio / Aluminum (AW-3105 H22)	2,5		1		-	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x20	17R60202A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			18	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x20	17R60201R	Alluminio / Aluminum (AW-3105 H22)	2,5		1		-	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	80x20	17R80204A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			16	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x20	17R100204A 18R100204A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			-	2/80	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x20	17R100204A 18R100204A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			18	1/0	WL3	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x20	17R100201R 18R100201R	Alluminio / Aluminum (AW-3105 H22)	2,5		1		-	2/80	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	10x25	17R10251A	Alluminio / Aluminum (AW-3105 H22)	2,5	1		-	1/0	WL9	DSL2	PL1	PL1	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x25	17Q251A	Alluminio / Aluminum (AW-3105 H22)	2,5	1		-	1/0	WL9	DSL2	PL1	PL1	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x25	17Q252A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		-	1/0	WL9	DSL2	PL1	PL1	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x25	17R50252A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x25	17R50252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	55x25	17R55254A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x25	17R80252A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		16	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x25	17R80252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x25	17R100254A 18R100254A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		-	2/80	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x25	17R100254A 18R100254A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		18	1/0	WL3	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x25	17R100252R 18R100252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	17	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x25	17R125254A 18R125254A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		-	2/80	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x25	17R125254A 18R125254A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		18	1/0	WL3	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x25	17R125252R 18R125252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x25	17R150252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x25	17R180252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x25	17R200252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x27	17R80272A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		16	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x27	17R80272R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x30	17R20301A	Alluminio / Aluminum (AW-3105 H22)	2,5	1		-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x30	17R20302A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	40x30	17R40302A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	40x30	17R40304A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x30	17R40302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x30	17R50302A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	50x30	17R50304A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x30	17R50302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x30	17R60302A	Alluminio / Aluminum (AW-3105 H22)	2,5	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x30	17R60302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x30	17R90301R	Alluminio / Aluminum (AW-3105 H22)	2,5		1	-	2/60	WL9	DSL0	PL1	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x30	17R90302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x30	17R100302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x30	17R120302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x30	17R130302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	140x30	17R140302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x30	17R150302R 18R150302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	170x30	17R170302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x30	17R180302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x30	17R200302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	75x33	17R75332R	Alluminio / Aluminum (AW-3105 H22)	2,5		2	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	15x35	17R15351A	Alluminio / Aluminum (AW-3105 H22)	2,5	1		-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	15x35	17R15352A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x35	17R105352R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x35	17R125352R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	40	17M402A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			33	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	40	17M402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		44	1/0	WL9	DSL2	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x40	17Q402A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x40	17Q402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	50x40	17R50404A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x40	17R50402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x40	17R60402A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x40	17R60402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x40	17R100402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x40	17R120402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x40	17R130402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x40	17R135402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x40	17R150402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x40	17R180402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x40	17R200402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x40	17R250402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	300x40	17R300402R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x45	17R25452A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x45	17R135452R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x50	17R25502A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x50	17Q502A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x50	17Q502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	70x50	17R70502A2R	Alluminio / Aluminum (AW-3105 H22)	2,5	2	2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x50	17R100502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x50	17R120502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x50	17R125502R 18R125502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x50	17R130502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x50	17R150502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x50	17R180502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x50	17R200502R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x50	17R250502RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2	70	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x50	17R300502RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x53	17Q532A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x53	17Q532R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	40x60	17R40604A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	40x60	17R40602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x60	17R40602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	45x60	17R45602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	45x60	17R45602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	60	17M602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	60	17M602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		44	1/0	WL9	DSL2	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x60	17Q602A 18Q602A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x60	17Q602R 18Q602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 90) / Double base rectangle (base 90)	90x60	17R90604A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			44	1/0	WL2	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 60) / Double base rectangle (base 60)	90x60	17R90604A	Alluminio / Aluminum (AW-3105 H22)	2,5	2+2			60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 90) / Double base rectangle (base 90)	90x60	17R90602A2R	Alluminio / Aluminum (AW-3105 H22)	2,5	2	2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base (base 60) / Double base rectangle (base 60)	90x60	17R90602A2R	Alluminio / Aluminum (AW-3105 H22)	2,5	2	2		60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x60	17R90602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x60	17R100602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x60	17R120602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x60	17R130602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	150x60	17R150602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x60	17R180602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x60	17R200602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	240x60	17R240602R 18R240602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x70	17R50702A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x70	17Q702R 18Q702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x70	17R100702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x70	17R120702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x70	17R130702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x70	17R150702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	170x70	17R170702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x70	17R180702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x70	17R200702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	235x70	17R235702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	3/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x70	17R250702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x70	17R300702R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x75	17R30752A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x75	17R30752R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x75	17R50752A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	50x75	17R50752R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x75	17R100752R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x75	17R105752R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x75	17R125752R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x80	17R20802A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x80	17R20803A 18R20803A	Alluminio / Aluminum (AW-3105 H22)	2,5	3			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	27x80	17R27802A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			40	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	27x80	17R27803A 18R27803A	Alluminio / Aluminum (AW-3105 H22)	2,5	3			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x80	17R40802A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x80	17R40802R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x80	17Q802R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	90	17M902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	90	17M903R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x90	17Q902R 18Q902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/60	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x90	17R120902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	120x90	17R120904R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+2		110/70	2/70/40	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x90	17R135902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	135x90	17R135904R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+2		110/70	2/80/40	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x90	17R60902A	Alluminio / Aluminum (AW-3105 H22)	2,5	2			60	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	60x90	17R60902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x90	17R200902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	360x90	17R360902R 18R360902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	6/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	20x100	17R201003A 18R201003A	Alluminio / Aluminum (AW-3105 H22)	2,5	3			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	25x100	17R251003A 18R251003A	Alluminio / Aluminum (AW-3105 H22)	2,5	3			40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x100	17R301003A 18R301003A	Alluminio / Aluminum (AW-3105 H22)	2,5	3			40	1/0	WL7	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x100	17R301003R 18R301003R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x100	17R701002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	1/0	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x100	17Q1002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x100	17R1201002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x100	17R1251002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x100	17R1301002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x100	17R1501002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	150x100	17R1501004R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+2		110/70	2+2 80/45	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x100	17R1801002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/100	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x100	17R2001002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x100	17R2001005R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+3		110/70	2 115/45	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x100	17R2501002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x100	17R3001002R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	70x105	17R701053R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x105	17Q1052R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	105x105	17Q1053R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x120	17R501203R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x120	17R601202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	60x120	17R601203R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x120	17R901202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/60	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x120	17Q1202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x120	17R1501202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x120	17R1801202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/100	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	180x120	17R1801205R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+3		110/70	² 100/65	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x120	17R2001202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/115	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x120	17R2001205R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+3		110/70	² 115/65	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x120	17R2501202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	3/90	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x120	17R3001202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	3/115	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	300x120	17R3001205R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+3		110/70	^{3/2} 115/65	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x125	17Q1252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x125	17R1501252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x125	17R1801252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/100	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	200x125	17R2001252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		85	2/115	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x135	17R351353A	Alluminio / Aluminum (AW-3105 H22)	2,5	3			70	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	35x135	17R351353R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		85	1/0	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x135	17R901352R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		90	2/60	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x135	17R901353R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		58	2/60	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x135	17Q1352R	Alluminio / Aluminum (AW-3105 H22)	2,5		2		90	2/80	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x135	17Q1353R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x135	17R1801353R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x135	17R2001353R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x135	17R2001355R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+3		110/70	$\frac{2}{115/60}$	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x150	17R1001503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x150	17R1301503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x150	17Q1503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	180x150	17R1801503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x150	17R2001503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	200x150	17R2001505R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+3		110/70	$\frac{2}{115/70}$	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x150	17R2501503R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	250x150	17R2501506R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+4		130/100	$\frac{3/2}{90/80}$	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	300x150	17R3001503RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa doppia base / Double base rectangle	300x150	17R3001506R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+4		130/80	3 115/80	WL7	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x160	17R1001603R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x165	17R901653R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		85	2/60	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x170	17R1301703R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x180	17R901803R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		85	2/60	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x180	17R1001803R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		85	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x180	17R1201803R	Alluminio / Aluminum (AW-3105 H22)	2,5		3		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	180x180	17Q1804R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+2		70	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x180	17R2001804R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+2		70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x180	17R2001804RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	270x180	17R2701804RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	130x190	17R1301904R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x200	17R1002004R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x200	17R1352004R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x200	17R1502004R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa in 2 pezzi / Rectangle in 2 pieces	200x200	17Q2004RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	250x200	17R2502004RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	270x200	17R2702004RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x200	17R3002004RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x220	17R802204R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/50	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x220	17R1202204R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	170x220	17R1702204R	Alluminio / Aluminum (AW-3105 H22)	2,5		2+2		70	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x225	17R3002254RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	90x250	17R902504R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/60	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x250	17R1502504R	Alluminio / Aluminum (AW-3105 H22)	2,5		4		70	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x250	17R2002504RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	250x250	17Q2504RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x250	17R3002504RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	400x250	17R4002504RT	Alluminio / Aluminum (AW-3105 H22)	2,5			4	70	5/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x270	17R1352705RT	Alluminio / Aluminum (AW-3105 H22)	2,5			5	70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa in 2 pezzi / Rectangle in 2 pieces	200x270	17R2002706RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x275	17R3002756RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x300	17R1203005R	Alluminio / Aluminum (AW-3105 H22)	2,5		5		70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x300	17R1203005RT	Alluminio / Aluminum (AW-3105 H22)	2,5			5	70	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x300	17R1503005RT	Alluminio / Aluminum (AW-3105 H22)	2,5			5	70	2/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	170x300	17R1703006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	3/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	200x300	17R2003006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	3/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	225x300	17R2253006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	3/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	250x300	17R2503006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	275x300	17R2753006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	4/75	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 2 pezzi / Rectangle in 2 pieces	300x300	17Q3006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			3+3	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	400x300	17R4003005RT	Alluminio / Aluminum (AW-3105 H22)	2,5			5	70	5/85	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	300x350	17R3003506RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2+2	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa in 3 pezzi / Rectangle in 3 pieces	300x400	17R3004006RT	Alluminio / Aluminum (AW-3105 H22)	2,5			2+2+2	70	4/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Croci S.Andrea normale con rinforzi / Normal crossbuck with reinforcements	160x85	17CNN4A	Alluminio / Aluminum (AW-3105 H22)	2,5	4			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Croce S.Andrea doppia con rinforzi / Double crossbuck with reinforcements	160x150	17CDD6A	Alluminio / Aluminum (AW-3105 H22)	2,5	6			-	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq	-	Alluminio / Aluminum (AW-3105 H22)	2,5		adeguati / appropriate		85	-	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq	-	Alluminio / Aluminum (AW-3105 H22)	2,5		adeguati / appropriate		85	-	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq		Alluminio / Aluminum (AW-3105 H22)	3		adeguati / appropriate		85	-	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq		Alluminio / Aluminum (AW-3105 H22)	3		adeguati / appropriate		85	-	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq		Alluminio / Aluminum (AW-3105 H22)	2,5		adeguati / appropriate		70	-	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq		Alluminio / Aluminum (AW-3105 H22)	2,5		adeguati / appropriate		70	-	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	≤ 3 mq		Alluminio / Aluminum (AW-3105 H22)	3		adeguati / appropriate		70	-	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa fuori standard / No standard rectangle	> 3 mq		Alluminio / Aluminum (AW-3105 H22)	3		adeguati / appropriate		70	-	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1

a) Gli spessori dei pannelli in ferro (10/10) e in alluminio (25/10 o 30/10) sono soggetti alle tolleranze dimensionali definite rispettivamente nelle norme EN 10131 e EN 485-4 / The steel (10/10) and aluminum (25/10 or 30/10) sign plate thicknesses are subject to the tolerances on dimensions defined in the EN 10131 and EN 485-4 standards, respectively

b) Azione del vento / Wind action: Fattore di forma/Shape factor=1.2; Coefficiente parziale di sicurezza/Partial safety factor γ_F : PAF2; Coefficiente parziale del materiale/Partial material factor γ_m : Acciaio/Steel=1.05, Alluminio/Aluminium=1.15

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Tipologia / Typology	Dimensioni (cm) / Dimensions (cm)	Codice / Code	Materiale / Material	Spessore (mm) ^{a)} / Thickness (mm)	Sistema aggancio / Fixing system					Carichi distribuiti ^{b)} / Distributed loads		Carichi concentrati ^{b)} / Point loads		Deformazione temporanea flettente / Temporary deflection bending	Deformazione permanente / Permanent deflection	Fissaggi / Fixings	Resistenza alla corrosione / Resistance to corrosion	
					N. attacchi / No. clamps	N. rinforzi corsolo normale / No. normal slider reinforcements	N. rinforzi chiusi / No. closed reinforcements	N. cave / No. number of special long attacks	Interasse max di ciacolo attacchi / Maximum distance calculation clamps	Numero Pall/Interasse / No. of supports/center distance	Azione del vento / Wind action	Carico dinamico da rimozione di neve / Dynamic snow load	Carico concentrato orizzontale / Horizontal point load					Carico concentrato verticale / Vertical point load
Triangolo / Triangle ^{c)}	60	17T601A1RTB	Alluminio / Aluminum (AW-3105 H22)	2,5	1		1	1	44	1/0	WL9	DSL2	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle ^{c)}	90	17T901A1RTB	Alluminio / Aluminum (AW-3105 H22)	2,5	1		1	1	44	1/0	WL9	DSL2	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Triangolo / Triangle ^{c)}	120	17T1202RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL8	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle ^{c)}	40	17D402A	Alluminio / Aluminum (AW-3105 H22)	2,5	2				44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle ^{c)}	60	17D602RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	44	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Disco / Circle ^{c)}	90	17D902RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon ^{c)}	60	17O602RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Ottagono / Octagon ^{c)}	90	17O902RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Freccia ^{c)}	130x30	17F130302RTB	Alluminio / Aluminum (AW-3105 H22)	2,5		2			40	2/80	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Freccia ^{c)}	150x40	17F150402RTB	Alluminio / Aluminum (AW-3105 H22)	2,5		2			40	2/80	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Freccia ^{c)}	170x50	17F170502RTB	Alluminio / Aluminum (AW-3105 H22)	2,5		2			40	2/80	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{c)}	53x18	17R53182RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{c)}	40x20	17R40202RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{c)}	60x20	17R60202RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle ^{o)}	100x20	17R100202R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			-	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	25x25	17Q252A	Alluminio / Aluminum (AW-3105 H22)	2,5	2				-	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	50x25	17R50252RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	80x25	17R80252RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	100x25	17R100252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			17	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	125x25	17R125252R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	80x27	17R80272RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	50x30	17R50302RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	60x30	17R60302RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	90x30	17R90302RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	125x30	17R125302R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	75x33	17R75332RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	15x35	17R15352A	Alluminio / Aluminum (AW-3105 H22)	2,5	2				40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	90x35	17R90352RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	105x35	17R105352RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	85	1/0	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	125x35	17R125352R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			58	2/80	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	40x40	17Q402RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	60x40	17R60402RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	25x45	17R25452A	Alluminio / Aluminum (AW-3105 H22)	2,5	2				40	1/0	WL9	DSL2	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	50x50	17Q502RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle ^{o)}	40x60	17R40602RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	60x60	17Q602RTB 18Q602RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	90x60	17R90602RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	240x60	17R240602R 18R240602R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			58	4/65	WL9	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	80x80	17Q802RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	60x90	17R60902RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	90x90	17Q902RTB 18Q902RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	90x90	17Q902R 18Q902R	Alluminio / Aluminum (AW-3105 H22)	2,5		2			58	1/2 60	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	60x120	17R601202RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	85	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	60x120	17R601203RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			3	1	50	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond ^{o)}	60	17M602RTB	Alluminio / Aluminum (AW-3105 H22)	2,5			2	1	58	1/0	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle ^{o)}	90x90	17Q903RTB30 18Q903RTB30	Alluminio / Aluminum (AW-3105 H22)	3		3			58	1/2 60	WL9	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

a) Gli spessori dei pannelli in ferro (10/10) e in alluminio (25/10 o 30/10) sono soggetti alle tolleranze dimensionali definite rispettivamente nelle norme EN 10131 e EN 485-4 / *The steel (10/10) and aluminum (25/10 or 30/10) sign plate thicknesses are subject to the tolerances on dimensions defined in the EN 10131 and EN 485-4 standards, respectively*

b) Azione del vento / *Wind action*: Fattore di forma/Shape factor=1.2; Coefficiente parziale di sicurezza/Partial safety factor γ_F PAF2; Coefficiente parziale del materiale/Partial material factor γ_m Acciaio/Steel=1.05, Alluminio/Aluminum=1.15

c) Segnali standard per Provincia di Trento-Bolzano caratterizzati da attacchi speciali lunghi (per i dettagli vedere disegni costruttivi) / *Standard signs for the Province of Trento-Bolzano characterized by long special clamps (for details see working drawings)*

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

COMPONENTE “PANNELLO” / “SIGN PLATE” COMPONENT

Certificato RINA Services S.p.A. n. 0474-CPR-0637 rev. 8 del 21/09/2017 / Certificate RINA Services S.p.A. n. 0474-CPR-0637 rev. 8 of 21/09/2017

(Dichiarazione di conformità relativa alla segnaletica stradale standard e non standard per l'estero in ferro 10/10 rispettante la UNI EN 12899-1:2008, Ing. Ivan Rinaldini e Ing. Alberto Favali del 24.11.2015; Relazioni tecniche e di calcolo relative alla segnaletica standard, Ing. Ivan Rinaldini del 20.02.2014, Relazioni tecniche e di calcolo relative alla segnaletica non standard, Ing. Ivan Rinaldini del 20.02.2014; Relazioni tecniche e di calcolo relative alla segnaletica standard, Ing. Ivan Rinaldini e Ing. Alberto Favali del 10.03.2015, Relazioni tecniche e di calcolo relative alla segnaletica non standard, Ing. Ivan Rinaldini e Ing. Alberto Favali del 10.03.2015)

Tipologia / Typology	Dimensioni (cm) / Dimensions (cm)	Codice / Code	Materiale / Material	Spessore (mm) ^{a)} / Thickness (mm)	Sistema aggancio / Fixing system					Carichi distribuiti ^{b)} / Distributed loads		Carichi concentrati ^{b)} / Point loads		Deformazione temporanea flettente / Temporary deflection bending	Deformazione permanente / Permanent deflection	Fissaggi / Fixings	Resistenza alla corrosione / Resistance to corrosion
					N. attacchi / No. clamps	N. rinforzi corsolo normale / No. normal slider reinforcements	N. rinforzi corsolo per traverse / No. rod slider reinforcements	Interasse max di calcolo attacchi / Maximum distance calculation clamps	Numero Pali/interasse / No. of supports/center distance	Azione del vento / Wind action	Carico dinamico da rimozione di neve / Dynamic snow load	Carico concentrato orizzontale / Horizontal point load	Carico concentrato verticale / Vertical point load				
Triangolo / Triangle	70	27T702A	Ferro / Steel (DC01)	1	2		44	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1	
Triangolo / Triangle	150	27T1503R	Ferro / Steel (DC01)	1		3	40	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1	
Disco / Circle	80	27D803A	Ferro / Steel (DC01)	1	3		29	1/0	WL1	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1	
Disco / Circle	80	27D802R	Ferro / Steel (DC01)	1		2	48	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1	
Disco / Circle	100	27D1002R	Ferro / Steel (DC01)	1		2	65	1/0	WL2	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1	
Ottagono / Octagon	80	27O803A	Ferro / Steel (DC01)	1	3		29	1/0	WL1	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1	
Ottagono / Octagon	80	27O802R	Ferro / Steel (DC01)	1		2	48	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1	
Ottagono / Octagon	100	27O1003R	Ferro / Steel (DC01)	1		3	50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1	
Freccia / Arrow	60x20	27F60201R	Ferro / Steel (DC01)	1		1	/	1/0	WL7	DSL1	PL1	PL4	TDB1	Passa / Pass	Passa / Pass	SP1	
Freccia / Arrow	85x33	27F85332R	Ferro / Steel (DC01)	1		2	27	1/0	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1	
Freccia / Arrow	85x33	27F85333R	Ferro / Steel (DC01)	1		3	37	1/0	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1	
Freccia / Arrow	95x33	27F95332R	Ferro / Steel (DC01)	1		2	27	2/45	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1	
Freccia / Arrow	95x33	27F95333R	Ferro / Steel (DC01)	1		3	37	2/45	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1	

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Freccia / Arrow	110x33	27F110332R	Ferro / Steel (DC01)	1		2		27	2/60	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	110x33	27F110333R	Ferro / Steel (DC01)	1		3		37	2/60	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	115x33	27F115332R	Ferro / Steel (DC01)	1		2		27	2/60	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	115x33	27F115333R	Ferro / Steel (DC01)	1		3		37	2/60	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	125x33	27F125332R	Ferro / Steel (DC01)	1		2		27	2/60	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	125x33	27F125333R	Ferro / Steel (DC01)	1		3		37	2/60	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	130x33	27F130332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	130x33	27F130333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	135x33	27F135332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	135x33	27F135333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x33	27F150332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x33	27F150333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	155x33	27F155332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	155x33	27F155333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	160x33	27F160332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	160x33	27F160333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	170x33	27F170332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	170x33	27F170333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	175x33	27F175332R	Ferro / Steel (DC01)	1		2		27	2/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	175x33	27F175333R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	180x33	27F180332R	Ferro / Steel (DC01)	1		2		27	2/100	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	180x33	27F180333R	Ferro / Steel (DC01)	1		3		37	2/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	200x33	27F200332R	Ferro / Steel (DC01)	1		2		27	2/100	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	200x33	27F200333R	Ferro / Steel (DC01)	1		3		37	2/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	215x33	27F215332R	Ferro / Steel (DC01)	1		2		27	2/120	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	215x33	27F215333R	Ferro / Steel (DC01)	1		3		37	2/120	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	225x33	27F225332R	Ferro / Steel (DC01)	1		2		27	2/120	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	225x33	27F225333R	Ferro / Steel (DC01)	1		3		37	2/120	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	230x33	27F230332R	Ferro / Steel (DC01)	1		2		27	3/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Freccia / Arrow	230x33	27F230333R	Ferro / Steel (DC01)	1		3		37	3/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	250x33	27F250332R	Ferro / Steel (DC01)	1		2		27	3/80	WL7	DSL0	PL0	PL0	TDB1	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	250x33	27F250333R	Ferro / Steel (DC01)	1		3		37	3/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	95x65	27F95652R	Ferro / Steel (DC01)	1		2		50	2/45	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	95x65	27F95653R	Ferro / Steel (DC01)	1		3		37	2/45	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	110x65	27F110652R	Ferro / Steel (DC01)	1		2		50	2/60	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	110x65	27F110653R	Ferro / Steel (DC01)	1		3		37	2/60	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	125x65	27F125652R	Ferro / Steel (DC01)	1		2		50	2/60	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	125x65	27F125653R	Ferro / Steel (DC01)	1		3		37	2/60	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x65	27F150652R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	150x65	27F150653R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	175x65	27F175652R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	175x65	27F175653R	Ferro / Steel (DC01)	1		3		37	2/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	180x65	27F180652R	Ferro / Steel (DC01)	1		2		50	2/100	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	180x65	27F180653R	Ferro / Steel (DC01)	1		3		37	2/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	200x65	27F200652R	Ferro / Steel (DC01)	1		2		50	2/100	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	200x65	27F200653R	Ferro / Steel (DC01)	1		3		37	2/100	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	225x65	27F225652R	Ferro / Steel (DC01)	1		2		50	2/120	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	225x65	27F225653R	Ferro / Steel (DC01)	1		3		37	2/120	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	250x65	27F250652R	Ferro / Steel (DC01)	1		2		50	3/80	WL7	DSL0	PL0	PL0	TDB2	Passa / Pass	Passa / Pass	SP1
Freccia / Arrow	250x65	27F250653R	Ferro / Steel (DC01)	1		3		37	3/80	WL9	DSL1	PL1	PL4	TDB2	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	45x20	27R45201A	Ferro / Steel (DC01)	1	1			/	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	45x20	27R45202A	Ferro / Steel (DC01)	1	2			18	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	15x30	27R15301A	Ferro / Steel (DC01)	1	1			/	1/0	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x30	27Q302A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	33x33	27Q332A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	40x33	27R40332A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	55x33	27R55332A	Ferro / Steel (DC01)	1	2			44	1/0	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	120x33	27R120332R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	150x33	27R150332R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x33	27R175332R	Ferro / Steel (DC01)	1		2		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x33	27R200332R	Ferro / Steel (DC01)	1		2		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	65x50	27R65502A	Ferro / Steel (DC01)	1	2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x50	27R80502A	Ferro / Steel (DC01)	1	2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x50	27R80502R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x50	27R85502A	Ferro / Steel (DC01)	1	2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x50	27R135502R	Ferro / Steel (DC01)	1		2		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x55	27R85552R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Rombo / Diamond	60	27M602A	Ferro / Steel (DC01)	1	2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	50x65	27R50652A	Ferro / Steel (DC01)	1	2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	65x65	27Q652A	Ferro / Steel (DC01)	1	2			44	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	65x65	27Q652R	Ferro / Steel (DC01)	1		2		50	1/0	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	30x80	27R30802A	Ferro / Steel (DC01)	1	2			60	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x80	27R100802R	Ferro / Steel (DC01)	1		2		54	2/65	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x80	27R100803R	Ferro / Steel (DC01)	1		3		50	2/65	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	120x80	27R120804R	Ferro / Steel (DC01)	1		4		50/125	2/70-50	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x80	27R150802R	Ferro / Steel (DC01)	1		2		54	2/80	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x80	27R150803R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x80	27R175802R	Ferro / Steel (DC01)	1		2		54	2/100	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x80	27R175803R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x80	27R200802R	Ferro / Steel (DC01)	1		2		54	2/115	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	200x80	27R200803R	Ferro / Steel (DC01)	1		3		50	2/115	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	270x80	27R270803R	Ferro / Steel (DC01)	1		3		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	65x85	27R65852A	Ferro / Steel (DC01)	1	2			60	1/0	WL1	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x85	27Q852R	Ferro / Steel (DC01)	1		2		54	1-2/55	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x85	27R100852R	Ferro / Steel (DC01)	1		2		54	2/65	WL5	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	100x85	27R100853R	Ferro / Steel (DC01)	1		3		50	2/65	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	33x100	27R331003A	Ferro / Steel (DC01)	1	3			40	1/0	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	37,5x100	27R371003A	Ferro / Steel (DC01)	1	3			40	1/0	WL6	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x100	27R801002R	Ferro / Steel (DC01)	1		2		68	1-2/50	WL2	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x100	27R801003R	Ferro / Steel (DC01)	1		3		50	1-2/50	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x100	27R851002R	Ferro / Steel (DC01)	1		2		68	1-2/50	WL2	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x100	27R851003R	Ferro / Steel (DC01)	1		3		50	1-2/50	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	95x100	27R951002R	Ferro / Steel (DC01)	1		2		68	2/50	WL2	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	95x100	27R951003R	Ferro / Steel (DC01)	1		3		50	2/50	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	135x100	27R1351003R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	170x100	27R1701003R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x100	27R1751003R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	53x120	27R531203R	Ferro / Steel (DC01)	1		3		50	1/0	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x120	27R801203R	Ferro / Steel (DC01)	1		3		50	2/50	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa doppia base / Double base rectangle	150x120	27R1501204R	Ferro / Steel (DC01)	1		4		70/140	2+2/80-50	WL2	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x120	27R1751203R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	225x120	27R2251203R	Ferro / Steel (DC01)	1		3		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x125	27R801253R	Ferro / Steel (DC01)	1		3		50	2/50	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x125	27R801254R	Ferro / Steel (DC01)	1		4		50	2/50	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x125	27R1751253R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	250x125	27R2501253R	Ferro / Steel (DC01)	1		3		50	3/90	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x135	27R801353R	Ferro / Steel (DC01)	1		3		50	2/50	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x135	27R801354R	Ferro / Steel (DC01)	1		4		50	2/50	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x135	27R1251353R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	125x135	27R1251354R	Ferro / Steel (DC01)	1		4		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x135	27R1501353R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x135	27R1501354R	Ferro / Steel (DC01)	1		4		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

Targa / Rectangle	170x135	27R1701353R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	170x135	27R1701354R	Ferro / Steel (DC01)	1		4		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x135	27R1751353R	Ferro / Steel (DC01)	1		3		50	2/100	WL7	DSL0	PL0	PL0	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x135	27R1751354R	Ferro / Steel (DC01)	1		4		50	2/100	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	140x140	27Q1403R	Ferro / Steel (DC01)	1		3		50	2/80	WL7	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	140x140	27Q1404R	Ferro / Steel (DC01)	1		4		50	2/80	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x150	27R701503R	Ferro / Steel (DC01)	1		3		70	2/40	WL3	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	70x150	27R701504R	Ferro / Steel (DC01)	1		4		50	2/40	WL7	DSL1	PL1	PL4	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x150	27R801503R	Ferro / Steel (DC01)	1		3		70	2/50	WL3	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x150	27R801504R	Ferro / Steel (DC01)	1		4		50	2/50	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x150	27R851503R	Ferro / Steel (DC01)	1		3		70	2/50	WL3	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	85x150	27R851504R	Ferro / Steel (DC01)	1		4		50	2/50	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x150	27R1751503R	Ferro / Steel (DC01)	1		3		70	2/100	WL3	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	175x150	27R1751504R	Ferro / Steel (DC01)	1		4		50	2/100	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	80x175	27R801754R	Ferro / Steel (DC01)	1		4		50	2/50	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	400x180	27R4001805RT	Ferro / Steel (DC01)	1		5		50	5/90	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x225	27R1502254R	Ferro / Steel (DC01)	1		4		70	2/80	WL3	DSL0	PL0	PL0	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	150x225	27R1502255R	Ferro / Steel (DC01)	1		5		50	2/80	WL7	DSL1	PL1	PL4	TDB4	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	400x285	27R4002857RT	Ferro / Steel (DC01)	1		7		50	5/90	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	430x285	27R4302857RT	Ferro / Steel (DC01)	1		7		50	5/95	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	430x300	27R4303007RT	Ferro / Steel (DC01)	1		7		50	5/95	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1
Targa / Rectangle	450x300	27R4503007RT	Ferro / Steel (DC01)	1		7		50	5/100	WL7	DSL1	PL1	PL5	TDB3	Passa / Pass	Passa / Pass	SP1

a) Gli spessori dei pannelli in ferro (10/10) e in alluminio (25/10 o 30/10) sono soggetti alle tolleranze dimensionali definite rispettivamente nelle norme EN 10131 e EN 485-4 / *The steel (10/10) and aluminum (25/10 or 30/10) sign plate thicknesses are subject to the tolerances on dimensions defined in the EN 10131 and EN 485-4 standards, respectively*

b) Azione del vento / *Wind action*: Fattore di forma/Shape factor=1.2; Coefficiente parziale di sicurezza/Partial safety factor γ_F PAF2; Coefficiente parziale del materiale/Partial material factor γ_m Acciaio/Steel=1.05, Alluminio/Aluminium=1.15

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

COMPONENTE “PANNELLO” / “SIGN PLATE” COMPONENT

SEGNALETICA STANDARD (DPR 495/92, art. 80, comma 1) / STANDARD SIGNS (DPR 495/92, art. 80, par.1)

SEGNALETICA NON STANDARD (DPR 495/92, art. 80, comma 7) / NO STANDARD SIGNS (DPR 495/92, art. 80, par.7)

Certificato RINA Services S.p.A. n. 18VEPV16 del 07/12/2021 / Certificate RINA Services S.p.A. n. 18VEPV16 of 07/12/2021

Codice supporto / Sign plate code	Forma / Shape	Dimensioni (cm) / Dimensions (cm)	Materiale / Material	Spessore (mm) / Thickness (mm)	Tipologia e n. attacchi / Type and No. clamps	N. sostegni / No. supports	Interasse / Center distance	Interasse max di calcolo per sistema di aggancio (cm) / Max calculation center distance for fixing system (cm)	Azione del vento / Wind action *	Carico concentrato orizzontale / Horizontal point load *	Carico concentrato verticale / Vertical point load *	Carico dinamico da rimozione neve / Dynamic snow load *	Deformazione temporanea flettente / Temporary deflection bending	Deformazione permanente / Permanent deflection	Fissaggi / Fixings	Resistenza alla corrosione / Resistance to corrosion
									WL	PL	PL	DSL	TDB			
PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM																
Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / echnical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018																
TRIANGOLI / TRIANGLES																
TRA60A2	Triangolo / Triangle	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 33	7	0	0	0	1	Passa / Pass	Passa / Pass	SP1
TRA90C2/15	Triangolo / Triangle	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
TRA90A2	Triangolo / Triangle	90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
TRA90C2/15	Triangolo / Triangle	90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
TRA120A3	Triangolo / Triangle	120	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤ 29	1	0	0	0	3	Passa / Pass	Passa / Pass	SP1
TRA120C2/15	Triangolo / Triangle	120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DISCHI / CIRCLES																

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

DIA60A2/15	Disco / Circle	Ø 40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DIA60B1	Disco / Circle	Ø 60	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo girevole / turning reinforcement	1	centro / center	centro / center	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
DIA60A2/15	Disco / Circle	Ø 60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DIA60A2/15	Disco / Circle	Ø 60	Alluminio / Aluminum EN AW-3105 H24	2,5	4 attacchi speciali / special clamps	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DIA60A2/15	Disco / Circle	Ø 60	Alluminio / Aluminum EN AW-3105 H24	2,5	8 attacchi speciali / special clamps	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DIA60A2/15	Disco / Circle	Ø 60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DIA90B1	Disco / Circle	Ø 90	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo girevole / turning reinforcement	1	centro / center	centro / center	2	0	0	0	2	Passa / Pass	Passa / Pass	SP1
DIA90A3	Disco / Circle	Ø 90	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤ 29	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Disco / Circle	Ø 90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
OTTAGONI / OCTAGONS																
PA60X60A2	Ottagono / Octagon	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Ottagono / Octagon	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Ottagono / Octagon	90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
OTA120C2	Ottagono / Octagon	120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 85	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PA120X120C3/15	Ottagono / Octagon	120	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤ 50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FRECCE / ARROWS																
PA60X20A1	Freccia / Arrow	15x55	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacco speciale / special clamps	1	centro / center	centro / center	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
FA150X40C2/15	Freccia / Arrow	30x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤80	≤ 20	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

FA150X40C2/15	Freccia / Arrow	40x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤80	≤ 23	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	50x170	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤80	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	50x170	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	50x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤80	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	50x200	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤100	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	70x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤80	≤ 42	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	70x250	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	3	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

FRECCHE / ARROWS

FA300X70C2	Freccia / Arrow	70x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤100	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	70x300	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi aut / reinforcements highway	3	≤100	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	70x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aut / highway reinforcements	3	≤100	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	70x350	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi aut / highway reinforcements	4	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow	70x350	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aut / highway reinforcements	4	≤80	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow 2 pz	70x400	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi aut / highway reinforcements	4	≤90	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	100x300	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi aut / highway reinforcements	3	≤100	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow	100x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤100	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow	100x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aut / highway reinforcements	3	≤100	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow 2	100x350	Alluminio / Aluminum	2,5	3 rinforzi aut /	4	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	pz		EN AW-3105 H24		highway reinforcements												
FA400X100C2	Freccia / Arrow 2 pz	100x350	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aut / highway reinforcements	4	≤80	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
FA400X100C3/15	Freccia / Arrow 2 pz	100x400	Alluminio / Aluminum EN AW-3105 H24	2,5	rinforzi aut / highway reinforcements	4	≤90	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
FA400X100C2	Freccia / Arrow	100x400	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi aut / highway reinforcements	4	≤90	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSAW9	Freccia / Arrow	< 2 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi adeguati / Appropriate reinforcements		adeguato		9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
NSAW9	Freccia / Arrow	> 2 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi adeguati / Appropriate reinforcements		adeguato		9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
NSAW9	Freccia / Arrow	< 2 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi autostradali adeguati / Appropriate highway reinforcements		adeguato		9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
NSAW9	Freccia / Arrow	> 2 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi autostradali adeguati / Appropriate highway reinforcements		adeguato		9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
ROMBI / DIAMONDS																	
ROA60A2	Rombo / Diamond	40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
ROA60C2/15	Rombo / Diamond	40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	2	4	Passa / Pass	Passa / Pass	SP1	
ROA60A2	Rombo / Diamond	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
ROA60C2/15	Rombo / Diamond	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	2	4	Passa / Pass	Passa / Pass	SP1	
ROA90C2	Rombo / Diamond	90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 44	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1	
PA120X120C3/15	Rombo / Diamond	90	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
TABELLE / RECTANGLES																	

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA35X17A1/15	Tabella / Rectangle	10x25	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	2	2	1	Passa / Pass	Passa / Pass	SP1
PA35X17A1/15	Tabella / Rectangle	15x35	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	2	2	1	Passa / Pass	Passa / Pass	SP1
PA35X17A1/15	Tabella / Rectangle	17x33	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	2	2	1	Passa / Pass	Passa / Pass	SP1
PA60X20A1	Tabella / Rectangle	18x53	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA100X20C1/15	Tabella / Rectangle	18x53	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	1	centro / center	centro / center	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA25X25A1/15	Tabella / Rectangle	20x20	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

PA25X25A1/15	Tabella / Rectangle	20x30	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1
PA40X35A1	Tabella / Rectangle	20x40	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA100X20C1/15	Tabella / Rectangle	20x40	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	1	centro / center	centro / center	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA40X35A1	Tabella / Rectangle	20x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 18	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA60X20A1	Tabella / Rectangle	20x60	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA60X20A1	Tabella / Rectangle	20x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 18	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA100X20C1/15	Tabella / Rectangle	20x60	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	1	centro / center	centro / center	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA80X27A2	Tabella doppia base / Double base rectangle	20x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 16	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA125X25A2C	Tabella / Rectangle	20x80	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA125X25A2C	Tabella / Rectangle	20x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 18	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA100X20C1/15	Tabella / Rectangle	20x80	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	1	centro / center	centro / center	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA125X25A2C	Tabella / Rectangle	20x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	1	centro / center	≤ 18	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA125X25A2L	Tabella / Rectangle	20x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	2	≤80	centro / center	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA125X25A2C	Tabella / Rectangle	20x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 18	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA100X20C1/15	Tabella / Rectangle	20x100	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	1	centro / center	centro / center	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA100X20C1/15	Tabella / Rectangle	20x100	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	2	≤65	centro / center	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA25X25A1/15	Tabella / Rectangle	25x10	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1
PA25X25A1/15	Tabella / Rectangle	25x25	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1
PA25X25A1/15	Tabella / Rectangle	25x25	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	25x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	25x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella doppia base / Double base rectangle	25x55	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA80X27A2	Tabella / Rectangle	25x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 16	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	25x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA125X25A2L	Tabella / Rectangle	25x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	2	≤80	centro / center	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA125X25A2C	Tabella / Rectangle	25x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	1	centro / center	≤ 18	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA125X25A2C	Tabella / Rectangle	25x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 18	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	25x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

PA125X25A2C	Tabella / Rectangle	25x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps (4 a croce / cross) int 80 cm	1	centro / center	≤ 18	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA125X25A2L	Tabella / Rectangle	25x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps (4 a croce / cross) int 80 cm	2	≤80	centro / center	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	25x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	25x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	25x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA80X27A2	Tabella / Rectangle	27x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 16	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	27x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X20A1	Tabella / Rectangle	30x20	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA27X50A2/15	Tabella / Rectangle	30x20	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella doppia base / Double base rectangle	30x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	30x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	30x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella doppia base / Double base rectangle	30x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	30x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	30x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	30x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	30x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA105X30C1	Tabella / Rectangle	30x90	Alluminio / Aluminum EN AW-3105 H24	2,5	1 rinforzo / reinforcement	1	centro / center	centro / center	7	1	0	0	2	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	30x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x140	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle	30x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x170	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA90X60A2	Tabella / Rectangle	33x75	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 25	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	33x75	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA40X35A1	Tabella / Rectangle	35x15	Alluminio / Aluminum EN AW-3105 H24	2,5	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA27X50A2/15	Tabella / Rectangle	35x15	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

NSAW9	Tabella / Rectangle	35x105	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	35x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	40x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	40x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella doppia base / Double base rectangle	40x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	40x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	40x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	40x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA90X90C2/15	Tabella / Rectangle	40x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella doppia base / Double base rectangle	40x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x135	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	40x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA27X50A2/15	Tabella / Rectangle	45x25	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	2	centro / center	≤ 40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	45x135	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA27X50A2/15	Tabella / Rectangle	50x25	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	50x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	50x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X60A2	Tabella doppia base / Double base rectangle	50x70	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 attacchi speciali / special clamps	1	centro / center	≤ 46	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle	50x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

NSAW9	Tabella / Rectangle	50x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	50x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	53x53	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	53x53	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	60x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps		centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	60x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	60x45	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	60x45	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X60A2	Tabella / Rectangle	60x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	60x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X60A2	Tabella doppia base / Double base rectangle 90	60x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 +2 attacchi speciali / special clamps	1	centro / center	≤ 44	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA60X90A2	Tabella doppia base / Double base rectangle 60	60x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 +2 attacchi speciali / special clamps	1	centro / center	≤ 74	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	60x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA60X90A2	Tabella / Rectangle	60x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 58	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x240	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA90X60A2	Tabella / Rectangle	70x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 46	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X60A2	Tabella / Rectangle	70x70	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 46	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	70x70	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x160	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x170	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

TABELLE / RECTANGLES																
NSAW9	Tabella / Rectangle	70x235	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	70x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA90X60A2	Tabella / Rectangle	75x30	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 46	2	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	75x30	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X90A2	Tabella / Rectangle	75x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 58	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	75x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	75x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	75x105	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	75x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X90A2	Tabella / Rectangle	80x20	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 60	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PA27X100A3/C15	Tabella / Rectangle	80x20	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤ 40	9	1	4	0	2	Passa / Pass	Passa / Pass	SP1
PA60X90A2	Tabella / Rectangle	80x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 60	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	80x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	80x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA60X90A2	Tabella / Rectangle	90x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 58	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	90x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90C2/15	Tabella / Rectangle	90x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1/2	≤ 55	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	90x120	Alluminio / Aluminum	2,5	2 rinforzi /	2	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

			EN AW-3105 H24		reinforcements												
PA200X150DB/15	Tabella doppia base / Double base rectangle 90	90x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤40	≤110	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
PA200X150DB/15	Tabella doppia base / Double base rectangle 120	90x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤70	≤70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
NSAW9	Tabella / Rectangle	90x135	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA200X150DB/15	Tabella doppia base / Double base rectangle 90	90x135	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤40	≤110	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
PA200X150DB/15	Tabella doppia base / Double base rectangle 135	90x135	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤80	≤70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
NSAW9	Tabella / Rectangle	90x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSAW9	Tabella / Rectangle 2 pezzi gv / parts gv	90x350	Alluminio / Aluminum EN AW-3105 H24	2,5	2 +2 rinforzi / reinforcements	6	≤ 85	≤ 70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA27X100A3/C15	Tabella / Rectangle	100x20	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1	
PA125X25A2L	Tabella / Rectangle	100x20	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤80	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1	
PA27X100A3/C15	Tabella / Rectangle	100x25	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1	
PA125X25A2L	Tabella / Rectangle	100x25	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤80	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1	
PA27X100A3/C15	Tabella / Rectangle	100x30	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤80	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1	
PA125X25A2L	Tabella / Rectangle	100x30	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤80	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1	

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

NSAW9	Tabella / Rectangle	100x30	Alluminio / Aluminum	2,5	3 rinforzi /	1	centro / center	≤50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
-------	---------------------	--------	----------------------	-----	--------------	---	-----------------	-----	---	---	---	---	---	--------------	--------------	-----

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

			EN AW-3105 H24		reinforcements											
PA120X120C3/15	Tabella / Rectangle	100x70	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 100	100x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤45	≤110	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 150	100x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤85	≤70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤85	≤70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤85	≤70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 100	100x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤45	≤110	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 200	100x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤85	≤82	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	100x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA120X120C3/15	Tabella / Rectangle	105x70	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA105X105C2	Tabella / Rectangle	105x70	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	≤50	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA105X105C2	Tabella / Rectangle	105x105	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 85	≤50	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PA120X120C3/15	Tabella / Rectangle	105x105	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA120X120C3/15	Tabella / Rectangle	120x50	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW7	Tabella / Rectangle	120x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA120X120C3/15	Tabella / Rectangle	120x60	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 120	120x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	100/65	≤110/70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 180	120x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	100/65	≤110/70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB-W4	Tabella doppia base / Double base rectangle 120	120x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	100/65	≤110/70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella doppia base / Double base rectangle 180	120x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	100/65	≤110/70	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

PA200X150DB/15	Tabella doppia base / Double base rectangle 120	120x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	115/65	≤110/70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 200	120x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	115/65	≤110/70	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤90	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base	120x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	3	≤115/65	≤110/70	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	rectangle 120															
PA200X150DB/15	Tabella doppia base / Double base rectangle 300	120x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	3	≤115/65	≤110/70	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	125x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	125x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤85	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	125x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤85	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	125x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA125X25A2L	Tabella / Rectangle	135x35	Alluminio / Aluminum EN AW-3105 H24	2,5	3 attacchi speciali / special clamps	1	centro / center	≤60	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	135x35	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	1	centro / center	≤70	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	135x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤90	6	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	135x90	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤85	≤70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	135x135	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤90	6	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	135x135	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤85	≤70	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	135x180	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	3	≤85	≤70	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	135x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤90	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	135x200	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	3	≤85	≤70	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	135x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤90	6	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 135	135x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	115/60	≤110/70	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 200	135x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	115/60	≤110/70	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA200X150DB-W4	Tabella doppia base / Double base rectangle 135	135x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	115/60	≤110/70	4	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella doppia base / Double base	135x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	115/60	≤110/70	6	0	0	0	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	rectangle 200															
NSAW6	Tabella / Rectangle	150x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤92	6	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x100	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x130	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x150	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	150x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤92	6	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x180	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	150x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤115	≤90	6	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x200	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

PA200X150DB/15	Tabella doppia base / Double base rectangle 150	150x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	≤115/60	≤110/70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB/15	Tabella doppia base / Double base rectangle 200	150x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+3 rinforzi / reinforcements	2	≤115/60	≤110/70	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PA200X150DB-W4	Tabella doppia base / Double base rectangle 150	150x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤115/60	≤110/70	4	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella doppia base / Double base rectangle 200	150x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤115/60	≤90	6	0	0	0	5	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x250	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x300	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x300	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	150x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aut / reinforcements highway	3	≤ 115	≤ 90	6	0	0	0	5	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle	160x100	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	165x90	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	170x130	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	180x90	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	180x100	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	180x120	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	180x180	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	180x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	180x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	180x270	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	180x270	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	190x130	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	190x130	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	200x100	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 85	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	200x100	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	200x135	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	200x135	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	200x150	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	200x150	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x270	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	200x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	220x80	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	220x80	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 115	≤ 90	6	0	0	0	5	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	220x120	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW6	Tabella / Rectangle	220x120	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi / reinforcements	2	≤ 115	≤ 90	6	0	0	0	5	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	220x170	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi / parts go	225x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	3	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	250x90	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	250x150	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	250x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi gv / parts gv	250x200	Alluminio / Aluminum EN AW-3105 H24	2,5	4+4 rinforzi aut / reinforcements highway	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	250x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle 2 pezzi / parts go	250x250	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi gv / parts gv	250x250	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi / parts go	250x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi gv / parts gv	250x300	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 3 pezzi gv / parts gv	250x400	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4+4 rinforzi aut / reinforcements highway	5	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 2 pezzi gv / parts gv	270x200	Alluminio / Aluminum EN AW-3105 H24	2,5	3+3 rinforzi aut / reinforcements highway	3	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi gv / parts gv	275x300	Alluminio / Aluminum EN AW-3105 H24	2,5	4+4 rinforzi aut / reinforcements highway	3	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	300x120	Alluminio / Aluminum EN AW-3105 H24	2,5	5 rinforzi aut / reinforcements highway	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	300x120	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi aut / reinforcements highway	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	300x150	Alluminio / Aluminum EN AW-3105 H24	2,5	5 rinforzi aut / reinforcements highway	2	≤ 80	≤ 85	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	300x150	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi aut / reinforcements highway	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	300x150	Alluminio / Aluminum EN AW-3105 H24	2,5	4 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi gv / parts gv	300x200	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements highway	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi / parts go	300x200	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2 rinforzi / reinforcements	2	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi gv / parts gv	300x225	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements highway	3	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi gv / parts	300x250	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements	3	≤ 115	≤ 85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	gv				highway											
NSAW7	Tabella / Rectangle 2 pezzi gv / parts gv	300x275	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements highway	3	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 2 pezzi gv / parts gv	300x300	Alluminio / Aluminum EN AW-3105 H24	2,5	4 +4 rinforzi aut / reinforcements highway	3	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle 3 pezzi gv / parts gv	300x400	Alluminio / Aluminum EN AW-3105 H24	2,5	4+4+4 rinforzi aut / reinforcements highway	3	≤ 115	≤85	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM / ALUMINUM SIGN PLATES THICKNESS 2,5 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

NSAW9	Tabella / Rectangle 3 pezzi / parts	350x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle 3 pezzi / parts	400x300	Alluminio / Aluminum EN AW-3105 H24	2,5	2+2+2 rinforzi aut / reinforcements highway	4	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 1 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Attacchi adeguati / Appropriate clamps				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 1 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 3 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	> 3 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 3 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi autostradali adeguati / Appropriate highway reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle	> 3 mq	Alluminio / Aluminum EN AW-3105 H24	2,5	Rinforzi autostradali adeguati / Appropriate highway reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
CROCI S.ANDREA / CROSSBUCK																
CSAC1	Croce s. andrea semplice con rinforzo / Basic crossbuck with reinforcements	160X85	Alluminio / Aluminum EN AW-3105 H24	2,5	attacchi speciali / special clamps				7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
CSFC1	Croce s. andrea doppia con rinforzo / Double crossbuck with reinforcements	160X115	Alluminio / Aluminum EN AW-3105 H24	2,5	attacchi speciali / special clamps				7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PANNELLI IN ALLUMINIO SPESSORE 3 MM / ALUMINUM SIGN PLATES THICKNESS 3 MM																
Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018																
FRECCHE / ARROWS																
FA150X40C2/15	Freccia / Arrow	30x130	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi / reinforcements	2	≤80	≤ 20	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
FA150X40C2/15	Freccia / Arrow	40x150	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi / reinforcements	2	≤80	≤ 23	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	50x170	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi / reinforcements	2	≤80	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	50x170	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi / reinforcements	2	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	50x200	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi / reinforcements	2	≤100	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	70x250	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi aut / reinforcements highway	3	≤80	≤ 42	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	70x300	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi aut / reinforcements highway	3	≤100	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA300X70C2	Freccia / Arrow	70x300	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi aut / reinforcements highway	3	≤100	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	70x350	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi aut / reinforcements highway	4	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow	70x350	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi aut / reinforcements	4	≤80	≤ 45	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

TABELLE / RECTANGLES																
FA400X100C3/15	Freccia / Arrow 2 pz	70x400	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi aut / reinforcements highway	4	≤90	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow	100x300	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi aut / reinforcements highway	3	≤100	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow	100x300	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi aut / reinforcements highway	3	≤100	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow 2 pz	100x350	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi aut / reinforcements highway	4	≤80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow 2 pz	100x350	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi aut / reinforcements highway	4	≤80	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
FA400X100C3/15	Freccia / Arrow 2 pz	100x400	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi aut / reinforcements highway	4	≤90	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FA400X100C2	Freccia / Arrow	100x400	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi aut / reinforcements highway	4	≤90	≤ 50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Freccie / Arrow	< 2 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Freccie / Arrow	> 2 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Freccie / Arrow	< 2 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi autostradali adeguati / Appropriate highway reinforcements				9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSAW9	Freccie / Arrow	> 2 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi autostradali adeguati / Appropriate highway reinforcements				9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
TABELLE / RECTANGLES																
NSAW9	Tabella / Rectangle	30x130	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSAW9	Tabella / Rectangle	40x150	Alluminio / Aluminum EN AW-3105 H24	3	2 rinforzi / reinforcements	2	≤ 85	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 1 mq	Alluminio / Aluminum EN AW-3105 H24	3	Attacchi adeguati / Appropriate clamps				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 1 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 3 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi adeguati / Appropriate reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	≤ 3 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi autostradali adeguati / Appropriate highway reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	> 3 mq	Alluminio / Aluminum EN AW-3105 H24	3	Rinforzi autostradali adeguati / Appropriate highway reinforcements				9	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM TRENTO BOLZANO / ALUMINUM SIGN PLATES THICKNESS 2,5 MM TRENTO BOLZANO

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TRIANGOLI / TRIANGLES

TRA90BO/15	Triangolo / Triangle	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps + 1 rinforzo chiuso	1	centro / center	≤ 44	9	1	4	2	2	Passa / Pass	Passa / Pass	SP1
TRA90BO/15	Triangolo / Triangle	90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	9	1	4	2	2	Passa / Pass	Passa / Pass	SP1
TRA120BO/15	Triangolo / Triangle	120	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	8	1	4	1	2	Passa / Pass	Passa / Pass	SP1

DISCHI / CIRCLES

DIA60A2/15	Disco	Ø 40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
DIA60A2/15	Disco	Ø 60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 44	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

					reinforcements												
PA90X90BO/15	Disco	Ø 90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
OTTAGONI / OCTAGONS																	
PA90X90BO/15	Ottagono	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Ottagono	90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
FRECCE / ARROWS																	
FRA300X70C2	Freccia / Arrow	30x130	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aperti / open reinforcements	2	≤ 80	≤ 40	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
FRA300X70C2	Freccia / Arrow	40x150	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aperti / open reinforcements	2	≤ 80	≤ 40	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
FRA300X70C2	Freccia / Arrow	50x170	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aperti / open reinforcements	2	≤ 80	≤ 40	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
ROMBI / DIAMONDS																	
ROA60C2/15	Rombo / Diamond	60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi aperti / open reinforcements	1	centro / center	≤ 44	9	1	4	2	4	Passa / Pass	Passa / Pass	SP1	
TABELLE / RECTANGLES																	
PA90X90BO/15	Tabella / Rectangle	18x53	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Tabella / Rectangle	20x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Tabella / Rectangle	20x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA100X20C1/15	Tabella / Rectangle	20x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	1	centro / center	/	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1	
PA25X25A1/15	Tabella / Rectangle	25x25	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	/	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Tabella / Rectangle	25x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANZY OF PERFORMANCE
N./No. 0474-CPR-0910

					reinforcements												
PA90X90BO/15	Tabella / Rectangle	25x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSAW9	Tabella / Rectangle	25x100	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 80	≤70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1	
NSAW9	Tabella / Rectangle	25x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 80	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Tabella / Rectangle	27x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Tabella / Rectangle	30x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PA90X90BO/15	Tabella / Rectangle	30x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	

PANNELLI IN ALLUMINIO SPESSORE 2,5 MM TRENTO BOLZANO / ALUMINUM SIGN PLATES THICKNESS 2,5 MM TRENTO BOLZANO

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

PA90X90BO/15	Tabella / Rectangle	30x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	30x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 80	≤ 85	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	33x75	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA27X50A2	Tabella / Rectangle	35x15	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	35x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	35x105	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	35x125	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 80	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	40x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PA90X90BO/15	Tabella / Rectangle	40x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA27X50A2	Tabella / Rectangle	45x25	Alluminio / Aluminum EN AW-3105 H24	2,5	2 attacchi speciali / special clamps	1	centro / center	≤ 40	9	1	4	2	1	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	50x50	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	60x40	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	60x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	60x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	60x240	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	3	≤ 90	≤ 70	9	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	80x80	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements chiusi	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	90x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	90x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PA90X90BO/15	Tabella / Rectangle	90x90	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi / reinforcements	2	≤ 55	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSAW7	Tabella / Rectangle	120x60	Alluminio / Aluminum EN AW-3105 H24	2,5	2 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 85	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSAW9	Tabella / Rectangle	120x60	Alluminio / Aluminum EN AW-3105 H24	2,5	3 rinforzi chiusi / closed reinforcements	1	centro / center	≤ 50	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1

PANNELLI IN ALLUMINIO SPESSORE 3 MM TRENTO BOLZANO / ALUMINUM SIGN PLATES THICKNESS 3 MM TRENTO BOLZANO

Relazioni tecniche ed illustrative relative alla segnaletica stradale in alluminio 25/10 - 30/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 26.06.2018 / Technical and illustrative reports relating to aluminum 25/10 - 30/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 26.06.2018

TABELLE / RECTANGLES

PA90X90BO/15	Tabella / Rectangle	90x90	Alluminio / Aluminum EN AW-3105 H24	3	3 rinforzi / reinforcements	2	≤ 55	≤ 58	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
--------------	---------------------	-------	--	---	--------------------------------	---	------	------	---	---	---	---	---	--------------	--------------	-----

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TRIANGOLI / TRIANGLES

TRF60A2	Triangolo	60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 33	7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
TRF90C2/15	Triangolo	60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
TRF90A2	Triangolo	90	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	4	0	0	0	3	Passa / Pass	Passa / Pass	SP1
TRF90C2/15	Triangolo	90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
TRF120C2	Triangolo	120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 58	2	0	0	0	2	Passa / Pass	Passa / Pass	SP1
TRF120C3/15	Triangolo	120	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 29	9	1	5	2	1	Passa / Pass	Passa / Pass	SP1

DISCHI / CIRCLES

DIF40A2/15	Disco	Ø 40	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 27	9	1	3	2	2	Passa / Pass	Passa / Pass	SP1
DIF90B1	Disco	Ø 60	Acciaio / Steel DC01	1	1 rinforzo girevole / turning reinforcement	1	centro / center	centro / center	1	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Disco	Ø 60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Disco	Ø 60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
DIF90C2	Disco	Ø 90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 48	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF90X90C3/15	Disco	Ø 90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 35	9	1	4	2	2	Passa / Pass	Passa / Pass	SP1
DIF90B1	Disco	Ø 90	Acciaio / Steel DC01	1	1 rinforzo girevole / turning reinforcement	1	centro / center	centro / center	1	0	0	0	3	Passa / Pass	Passa / Pass	SP1

OTTAGONI / OCTAGONS

PF60X60A2	Ottagono	60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Ottagono	60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

OTF90C2	Ottagono	90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF90X90C3/15	Ottagono	90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 35	9	1	4	2	2	Passa / Pass	Passa / Pass	SP1
NSFW1	Ottagono	120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Ottagono	120	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 35	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FRECCE / ARROWS																
FF150X40C2	Freccia / Arrow	30x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 80	≤ 27	7	0	0	0	1	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	30x130	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤ 80	CENTRO / CENTER	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF150X40C2	Freccia / Arrow	40x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 65	≤ 27	7	0	0	0	1	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	40x150	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤ 65	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF250X70XC2/18	Freccia / Arrow	50x170	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 80	≤ 50	4	0	0	0	3	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	50x170	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤ 80	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF250X70XC2/18	Freccia / Arrow	50x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 80	≤ 50	4	0	0	0	3	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	50x200	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤ 80	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF250X70XC2/18	Freccia / Arrow	70x250	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤ 80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	70x250	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤ 80	≤ 40	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM																
Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018																
FRECCE / ARROWS																
FF250X70XC2/18	Freccia / Arrow	70x300	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤ 80	≤ 50	4	0	0	0	3	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	70x300	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤ 80	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow	70x350	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	4	≤ 80	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia / Arrow 2 pz	70x400	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	4	≤ 90	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1
FF400X100C3/15	Freccia /	100x300	Acciaio / Steel	1	3 rinforzi /	3	≤ 80	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	Arrow		DC01		reinforcements												
FF400X100C3/15	Freccia / Arrow	100x350	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	4	≤ 80	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
FF400X100C3/15	Freccia / Arrow 2 pz	100x400	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	4	≤ 90	≤ 37	9	1	4	1	2	Passa / Pass	Passa / Pass	SP1	
FF400X100C3/15	Frecce / Arrow	< 2 mq	Acciaio / Steel DC01	1	Rinforzi adeguati / Appropriate reinforcements									Passa / Pass	Passa / Pass	SP1	
FF400X100C3/15	Frecce / Arrow	< 2 mq	Acciaio / Steel DC01	1	Rinforzi adeguati / Appropriate reinforcements									Passa / Pass	Passa / Pass	SP1	
ROMBI / DIAMONDS																	
PF60X60A2	Rombo / Diamond	40	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF120X120C3/15	Rombo / Diamond	40	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 50	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PF120X120C3/15	Rombo / Diamond	60	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PF120X120C3/15	Rombo / Diamond	90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
TABELLE / RECTANGLES																	
PF25X40A1	Tabella / Rectangle	10x25	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1	
PF100X20C1/15	Tabella / Rectangle	10x25	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1	
PF40X25A1	Tabella / Rectangle	15x35	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1	
PF100X20C1/15	Tabella / Rectangle	15x35	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1	
PF40X25A1	Tabella / Rectangle	17x33	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1	
PF100X20C1/15	Tabella / Rectangle	17x33	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1	
PF60X20A1	Tabella / Rectangle	18x53	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF100X20C1/15	Tabella / Rectangle	18x53	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1	

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF20X20A1	Tabella / Rectangle	20x20	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	9	1	1	2	1	Passa / Pass	Passa / Pass	SP1
PF40X25A1	Tabella / Rectangle	20x20	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF100X20C1/15	Tabella / Rectangle	20x30	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1
PF40X25A1	Tabella / Rectangle	20x40	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF100X20C1/15	Tabella / Rectangle	20x40	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1
PF60X20A1	Tabella / Rectangle	20x60	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF60X20A1	Tabella / Rectangle	20x60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 18	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF100X20C1/15	Tabella / Rectangle	20x60	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1	centro / center	centro / center	7	1	4	1	1	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

PF80X27A2	Tabella doppia base / Double base rectangle	20x90	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 16	4	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PF80X27A2	Tabella / Rectangle	20x80	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 16	4	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PF125X25AC2	Tabella / Rectangle	20x100	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 16	3	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF125X25AL2	Tabella / Rectangle	20x100	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	2	≤ 80	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF125X25AC2	Tabella / Rectangle	20x100	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps (4 a croce / cross)	1	centro / center	≤ 18	3	0	0	0	2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

					cross) int 64cm											
PF100X20C1/15	Tabella / Rectangle	20x100	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	2	≤ 80	centro / center	9	1	4	1	1	Passa / Pass	Passa / Pass	SP1
PF25X40A1	Tabella / Rectangle	25x10	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	25x10	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	25x25	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella / Rectangle	25x50	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF105X70C2/18	Tabella / Rectangle	25x50	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 17	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella doppia base / Double base rectangle	25x55	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF80X27A2	Tabella / Rectangle	25x80	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 18	4	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PF105X70C2/18	Tabella / Rectangle	25x80	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF125X25AL2	Tabella / Rectangle	25x100	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	2	≤ 80	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF125X25AC2	Tabella / Rectangle	25x100	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps (4 a croce / cross) int 64cm	1	centro / center	≤ 18	3	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PF125X25AC2	Tabella / Rectangle	25x100	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 18	3	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	25x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1/2	≤ 85	≤ 45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF125X25AL2	Tabella / Rectangle	25x125	Acciaio / Steel DC01	1	2+2 attacchi speciali / special	2	≤ 80	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

					clamps (4 a croce / cross) int 80cm											
PF125X25AC2	Tabella / Rectangle	25x125	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps (4 a croce / cross) int 80cm	1	centro / center	≤ 18	3	0	0	0	2	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	25x125	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 85	≤ 45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	25x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 85	≤ 45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	25x180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 85	≤ 45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	25x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤ 85	≤ 45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF80X27A2	Tabella / Rectangle	27x80	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 16	4	0	0	0	2	Passa / Pass	Passa / Pass	SP1
PF105X70C2/18	Tabella / Rectangle	27x80	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF40X25A1	Tabella / Rectangle	20x20	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

PF27X80A2/15	Tabella / Rectangle	30x20	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella doppia base / Double base rectangle	30x40	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella / Rectangle	30x40	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Tabella / Rectangle	30x40	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella doppia base / Double base rectangle	30x50	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF60X60A2	Tabella / Rectangle	30x50	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Tabella / Rectangle	30x50	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella / Rectangle	30x60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Tabella / Rectangle	30x60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
PF90X30C1	Tabella / Rectangle	30x90	Acciaio / Steel DC01	1	1 rinforzi / reinforcements	1/2	65	centro / center	7	0	0	0	1	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x170	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	30x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF105X70C2/18	Tabella / Rectangle	33x75	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF25X40A1	Tabella / Rectangle	35x15	Acciaio / Steel DC01	1	1 attacchi speciali / special clamps	1	centro / center	centro / center	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	35x15	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF105X70C2/18	Tabella / Rectangle	35x105	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	35x125	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella / Rectangle	40x40	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Tabella / Rectangle	40x40	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF60X60A2	Tabella doppia base / Double base rectangle	40x50	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Tabella / Rectangle	40x50	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella / Rectangle	40x60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF60X60C2/15	Tabella / Rectangle	40x60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella doppia base / Double base rectangle	40x60	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

NSFW9	Tabella / Rectangle	40x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x135	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x250	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	40x300	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	45x25	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	45x135	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	50x25	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF60X60A2	Tabella / Rectangle	50x50	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF60X60C2/15	Tabella / Rectangle	50x50	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	centro / center	≤44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1	
PF105X70C2/18	Tabella doppia base / Double base rectangle	50x70	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW9	Tabella / Rectangle	50x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x125	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x250	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	50x300	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3		≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF60X60A2	Tabella / Rectangle	53x53	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF60X60C2/15	Tabella / Rectangle	53x53	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1	
PF60X60A2	Tabella / Rectangle	60x40	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF60X60A2	Tabella doppia base / Double base rectangle	60x40	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF60X60C2/15	Tabella / Rectangle	60x40	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1	
PF60X60A2	Tabella / Rectangle	60x45	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
PF60X60A2	Tabella / Rectangle	60x60	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤44	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1	

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF60X60C2/15	Tabella / Rectangle	60x60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤44	9	1	5	2	4	Passa / Pass	Passa / Pass	SP1
PF60X90A2	Tabella doppia base / Double base rectangle 90	60x90	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 50	1	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF60X90A2	Tabella doppia base / Double base rectangle 60	60x90	Acciaio / Steel DC01	1	2+2 attacchi speciali / special clamps	1	centro / center	≤ 44	1	0	0	0	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

PF105X70C2/18	Tabella / Rectangle	60x90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	60x240	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF60X90A2	Tabella / Rectangle	70x50	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 50	1	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x70	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSFW7	Tabella / Rectangle	70x170	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x235	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x250	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤115	≤ 50	7	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	70x300	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤115	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	75x30	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	75x30	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 50	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	75x50	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	75x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	75x105	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	75x125	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤ 50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	80x20	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF27X80A2/15	Tabella / Rectangle	80x27	Acciaio / Steel DC01	1	2 attacchi speciali / special clamps	1	centro / center	≤ 65	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	80x40	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤ 50	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF80X80C2	Tabella / Rectangle	80x80	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤48	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF90X90C3/15	Tabella / Rectangle	80x80	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤35	9	1	4	2	2	Passa / Pass	Passa / Pass	SP1
PF60X90A3	Tabella / Rectangle	90x60	Acciaio / Steel DC01	1	3 attacchi speciali / special clamps	1	centro / center	≤37	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF60X90C2	Tabella / Rectangle	90x60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤50	7	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	90x60	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	90x90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1/2	centro / center	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	90x90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1/2	≤85	≤45	9	1	4	2	2	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	90x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	90x120	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	80	≤50	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF135X90DB	Tabella doppia base / Double base rectangle 90	90x120	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	70/50	≤50-125	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF139X90DB	Tabella doppia base / Double base rectangle 120	90x120	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	70/50	≤50-125	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	90x135	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	90x135	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF135X90DB	Tabella doppia base / Double base rectangle 90	90x135	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	80/50	≤50-125	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1
PF135X90DB	Tabella doppia base / Double base rectangle 135	90x135	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	80/50	≤50-125	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	90x200	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz gv	90x360	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	4	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	100x20	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	100x25	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	2	Passa / Pass	Passa / Pass	SP1
PF60X90A3	Tabella / Rectangle	100x30	Acciaio / Steel DC01	1	3 attacchi speciali / special clamps	1	centro / center	≤37	6	0	0	0	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF120X120C3/15	Tabella / Rectangle	100x30	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	100x70	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	0	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	100x70	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	100x100	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	100x100	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	100x120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	100x120	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	100x125	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	100x125	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	100x130	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	100x130	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	100x150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	100x150	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella doppia base / Double base rectangle 100	100x150	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella doppia base / Double base rectangle 150	100x150	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

PF200X150DB/15	Tabella doppia base / Double base rectangle 100	100x150	Acciaio / Steel DC01	1	3+2 rinforzi / reinforcements	2+2	80/50	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double	100x 150	Acciaio / Steel DC01	1	3+2 rinforzi / reinforcements	2+2	80/50	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	base rectangle 150																
NSFW9	Tabella / Rectangle	100x 180	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW4	Tabella / Rectangle	100x 200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW9	Tabella / Rectangle	100x 200	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PF200X150DB/15	Tabella doppia base / Double base rectangle 100	100x 200	Acciaio / Steel DC01	1	3+2 rinforzi / reinforcements	2	60/115	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1	
PF200X150DB/15	Tabella doppia base / Double base rectangle 200	100x 200	Acciaio / Steel DC01	1	3+2 rinforzi / reinforcements	2	115	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1	
NSFW4	Tabella / Rectangle	100x 250	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW9	Tabella / Rectangle	100x 250	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW4	Tabella / Rectangle	100x 300	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW9	Tabella / Rectangle	100x 300	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW7	Tabella / Rectangle	105x70	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW1	Tabella / Rectangle	105x 105	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW7	Tabella / Rectangle	105x 105	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW1	Tabella / Rectangle	120x50	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW7	Tabella / Rectangle	120x 50	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW1	Tabella / Rectangle	120x 60	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	1	centro / center	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW7	Tabella / Rectangle	120x 60	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
NSFW1	Tabella / Rectangle	120x 90	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1	
NSFW7	Tabella / Rectangle	120x 90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1	
PF200X150DB/15	Tabella doppia base / Double base rectangle	120x90	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤80	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1	

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	120															
PF200X150DB/15	Tabella doppia base / Double base rectangle 90	120x 90	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤80	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	120x 120	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
PF120X120C3/15	Tabella / Rectangle	120x 120	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	80	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	120x 150	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	120x 150	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	120x 150	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	120x 180	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	120x 180	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	120x 180	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 120	120x 180	Acciaio / Steel DC01	1	3 (base 120)+2 rinforzi / reinforcements (base 80)	2	100/60	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 180	120x 180	Acciaio / Steel DC01	1	3 (base 120)+2 rinforzi / reinforcements (base 80)	2	100/60	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

NSFW1	Tabella / Rectangle	120x200	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	120x 200	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	120x 200	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 120	120x 200	Acciaio / Steel DC01	1	3 (base 120)+2 rinforzi / reinforcements (base 200)	2	115/80	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF200X150DB/15	Tabella doppia base / Double base rectangle 200	120x 200	Acciaio / Steel DC01	1	3 (base120)+2 rinforzi / reinforcements (base200)	2	115/80	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	120x 250	Acciaio / Steel DC01	1	2 rinforzi / reinforcements	3	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	120x 250	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	120x 300	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 120	120x 300	Acciaio / Steel DC01	1	3 (base120)+2 rinforzi / reinforcements (base300)	3	80	≤290	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 300	120x 300	Acciaio / Steel DC01	1	3 (base120)+2 rinforzi / reinforcements (base300)	3	115	≤55	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	125x125	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	125x 150	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	125x 180	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	125x 200	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	135x35	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	1	centro / center	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	135x 90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	135x 90	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	135x 135	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	135x 135	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	135x 180	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	135x200	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 135	135x200	Acciaio / Steel DC01	1	3 (base135)+2 rinforzi / reinforcements (base200)	2	115/80	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

PF200X150DB/15	Tabella doppia base / Double base rectangle 200	135x200	Acciaio / Steel DC01	1	3 (base135)+2 rinforzi / reinforcements (base200)	2	115/80	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	150x100	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	150x 100	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	150x 130	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	150x 150	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	150x 150	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	150x 180	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	150x 200	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

NSFW9	Tabella / Rectangle	150x200	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 150	150x 200	Acciaio / Steel DC01	1	3 (base150)+2 rinforzi / reinforcements (base200)	2	≤115	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 200	150x 200	Acciaio / Steel DC01	1	3 (base150)+2 rinforzi / reinforcements (base200)	2	≤115	≤55-190	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	150x 250	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 150	150x 250	Acciaio / Steel DC01	1	3 (base150)+2 rinforzi / reinforcements (base250)	3/2	90/80	≤55/240	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 250	150x 250	Acciaio / Steel DC01	1	3 (base150)+2 rinforzi / reinforcements (base250)	3/2	90/80	≤55/240	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
PF200X150DB/15	Tabella doppia base / Double base rectangle 250	150x 300	Acciaio / Steel DC01	1	3 (base150)+2 rinforzi /	3/2	115/80	≤55/290	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

	base rectangle 150				reinforcements (base300)											
PF200X150DB/15	Tabella doppia base / Double base rectangle 300	150x 300	Acciaio / Steel DC01	1	3 (base150)+2 rinforzi / reinforcements (base300)	3/2	115/80	≤55/290	6	1	4	1	4	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	160x100	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	160x100	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	165x90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	165x90	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle	170x130	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	170x130	Acciaio / Steel DC01	1	4 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	180x90	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	180x90	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	180x100	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	180x100	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	180x120	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	180x120	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle 2 pz go	180x270	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤70	4	0	0	1	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	180x270	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	190x130	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	200x100	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	200x 100	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	200x 135	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSFW9	Tabella / Rectangle	200x 135	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle	200x 150	Acciaio / Steel DC01	1	3 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	200x 150	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤85	≤45	9	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle 2 pz go	200x 200	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

NSFW9	Tabella / Rectangle 2 pz go	200x200	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle 2 pz go	200x 250	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	200x 250	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	200x 270	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle 2 pz go	200x 300	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	200x 300	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	220x 80	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	220x 120	Acciaio / Steel DC01	1	5 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	220x 170	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	225x 300	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	250x90	Acciaio / Steel DC01	1	6 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	250x 150	Acciaio / Steel DC01	1	6 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSFW7	Tabella / Rectangle 2 pz go	250x 200	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz go	250x 250	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle 2 pz go	250x 250	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz go	250x 300	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle 2 pz go	250x 300	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz gv	250x 400	Acciaio / Steel DC01	1	4+4+4 rinforzi / reinforcements	4	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle 2 pz gv	250x 400	Acciaio / Steel DC01	1	6 rinforzi aut / reinforcements highway	4	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle 2 pz gv	250x 400	Acciaio / Steel DC01	1	3+3+3 rinforzi aut / reinforcements highway	4	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	270x135	Acciaio / Steel DC01	1	6 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	270x 200	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	2	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle 2 pz gv	275x 300	Acciaio / Steel DC01	1	3+3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	300x120	Acciaio / Steel DC01	1	7 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle	300x 150	Acciaio / Steel DC01	1	7 rinforzi / reinforcements	2	≤115	≤50	7	1	5	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz go	300x 170	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	300x 170	Acciaio / Steel DC01	1	4+4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz go	300x 200	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	2	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSFW9	Tabella / Rectangle 2 pz go	300x 200	Acciaio / Steel DC01	1	4+4 rinforzi / reinforcements	2	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	300x 225	Acciaio / Steel DC01	1	4+4 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz go	300x 250	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	300x 250	Acciaio / Steel DC01	1	4+4 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

PANNELLI IN IN ACCIAIO SPESSORE 1 MM / STEEL SIGN PLATES THICKNESS 1 MM

Relazioni tecniche ed illustrative relative alla segnaletica stradale in ferro 10/10, Ing. Ivan Rinaldini e Ing. Alberto Favali del 08.10.2018 / Technical and illustrative reports relating to steel 10/10 road signs, Eng. Ivan Rinaldini and Eng. Alberto Favali of 08.10.2018

TABELLE / RECTANGLES

NSFW9	Tabella / Rectangle 2 pz go	300x275	Acciaio / Steel DC01	1	4+4 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW1	Tabella / Rectangle 2 pz go	300x 300	Acciaio / Steel DC01	1	2+2 rinforzi / reinforcements	3	≤115	≤90	1	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	300x 300	Acciaio / Steel DC01	1	4+4 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 3 pz gv	300x 400	Acciaio / Steel DC01	1	3+3+3 rinforzi / reinforcements	4	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW4	Tabella / Rectangle 2 pz go	350x 300	Acciaio / Steel DC01	1	2+2+2 rinforzi / reinforcements	3	≤115	≤70	4	0	0	0	4	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle 2 pz go	350x 300	Acciaio / Steel DC01	1	3+3+3 rinforzi / reinforcements	3	≤85	≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW7	Tabella / Rectangle 2 pz go	400x 300	Acciaio / Steel DC01	1	3+3+3 rinforzi / reinforcements	3	≤115	≤50	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	≤ 1 mq	Acciaio / Steel DC01	1	Attacchi adeguati / Appropriate clamps			≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	≤ 1 mq	Acciaio / Steel DC01	1	Rinforzi adeguati / Appropriate reinforcements			≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

NSFW9	Tabella / Rectangle	≤ 3 mq	Acciaio / Steel DC01	1	Rinforzi adeguati / Appropriate reinforcements			≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	> 3 mq	Acciaio / Steel DC01	1	Rinforzi adeguati / Appropriate reinforcements			≤45	9	1	4	1	3	Passa / Pass	Passa / Pass	SP1
NSFW9	Tabella / Rectangle	> 3 mq	Acciaio / Steel DC01	1	Rinforzi autostradali adeguati / Appropriate highway reinforcements			≤45	7	1	4	1	3	Passa / Pass	Passa / Pass	SP1
CROCI S.ANDREA / CROSSBUCK																
CSFC1	Croce s. andrea semplice con rinforzo / Basic crossbuck with reinforcements	160X85	Acciaio / Steel DC01	1					7	0	0	0	2	Passa / Pass	Passa / Pass	SP1
CSFC1	Croce s. andrea doppia con rinforzo / Double crossbuck with reinforcements	160X115	Acciaio / Steel DC01	1					7	0	0	0	2	Passa / Pass	Passa / Pass	SP1

* Azione del vento / Wind action: Fattore di forma / Shape factor = 1.2; Coefficiente parziale di sicurezza / Partial safety factor γ_F PAF2; Coefficiente parziale del materiale / Partial material factor γ_m Acciaio / Steel = 1.05, Alluminio / Aluminium = 1.15.

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

Via Corsica, 12 – 16128 Genova

C.F. / P. Iva / R.I. Genova N. 03487840104

Cap. Soc. € 35.000.000,00 i.v.

Tel. +39 010 53851 – Fax +39 010 5351000

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

COMPONENTE "FACCIA A VISTA" / SIGN FACES COMPONENT

Materiale / Material		Prestazioni del prodotto / Product performance			
		Coordinate cromatiche in condizioni diurne e fattori di luminanza / Daylight chromaticity and luminance factors	Coefficiente di retroriflessione / Coefficient of retroreflection	Resistenza all'impatto del materiale faccia a vista / Impact resistance of sign face material	Resistenza invecchiamento / Resistance to weathering
A microsfere di vetro / Glass bead	EG 5510	CR2	RA1	Passa/Pass	CR1 (DoP No. 5510.001.20220208 del/of 08.02.2022)
	HIG 5810	CR2	RA2	Passa/Pass	CR1 (DoP No. 5810.001.20220208 del/of 08.02.2022)
A microprismi / Microprismatic	HIPG 5910	CR2	RA2	Passa/Pass	CR1 (DoP No. 5910.001.20220208 del/of 08.02.2022)
		Vedere / See: ETA 12/0478; ETA 16/0465; ETA 16/0466; ETA 16/0612; ETA 17/0282; ETA 19/0084; ETA 19/0085			
	BG 6910	CR2	RA2	Passa/Pass	CR1 (DoP No. 6910.001.20220208 del/of 08.02.2022)
		Vedere / See: ETA 13/0247, ETA 13/0248, ETA 13/0249, ETA 13/0250, ETA 13/0251, ETA 15/0104, ETA 15/0106, ETA 15/0107, ETA 15/0108, ETA 16/0611, ETA 16/0613			
EPG 6710	CR2	RA1	Passa/Pass	CR1 (DoP No. 6710.001.20220208 del/of 08.02.2022)	
	Vedere / See: ETA-16/0579; ETA 16/0580; ETA 16/0581				

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)

RINA Services S.p.A.

C.F. / P. Iva / R.I. Genova N. 03487840104

Tel. +39 010 53851 – Fax +39 010 5351000

Via Corsica, 12 – 16128 Genova

Cap. Soc. € 35.000.000,00 i.v.

www.rina.org - info@rina.org

ALLEGATO AL CERTIFICATO DI COSTANZA DELLA PRESTAZIONE / ANNEX TO CERTIFICATE OF COSTANCY OF PERFORMANCE
N./No. 0474-CPR-0910

COMPONENTE "SOSTEGNO" / SUPPORT COMPONENT

Materiale / Material	Caratteristiche geometriche / Geometric characteristics	Resistenza ai carichi orizzontali / Resistance to horizontal loads		Resistenza alla corrosione / Resistance to corrosion
		Deformazione temporanea a flessione / Temporary deflection bending	Deformazione temporanea a torsione / Temporary deflection torsion	
Acciaio S235JRH	Ø 48 mm ÷ 90 mm Spessore 2 ÷ 3.5 mm / Thickness 2 ÷ 3.5 mm	TDB0	TDT0	SP1

Genova, 28/11/2022

Revisione n. / Revision no.: 9

RINA Services S.p.A.
 Il Direttore Tecnico / Technical manager



(Ing. Andrea ALLOISIO)